



Abandonment data :

Well diameter = 2 in

Boring diameter = 6 in

Sacks of cement used = 10

Gallons of cement pumped = 135

Time to fill = 1/2 hr

Blank casing interval = 0 - 50 ft

Screen Interval = 50 - 92 ft

← former street box

← bentonite seal = 2 ft

← neat cement

← sand pack not influenced by cement = 35 ft

← bentonite seal = 2 ft

← Interval between bentonite and top of screen = 10 ft

← Estimated radius of influence of pumped cement = 4.29 in

(no scale)

Total Depth = 92 ft

