Log #91081

LOG OF BORING B-28

Elevation _____ Date 9-23-92



Blows/foot	HC Odor	HNU (Units)	Depth (ft)	Sample	
			0		BROWN LEAN CLAY (CL); stiff, dry to moist
14	No	0	5		GRAY SANDY SILT (ML); stiff, dry to moist, with green mottling
33	No	0	10		GRAY-BLACK POORLY SORTED SAND (SP); dense, saturated
					BROWN SILT (ML); stiff, saturated
			15		BROWN POORLY GRADED SAND (SP); very dense, saturated
			20		
			25		Boring terminated at 21.5 feet. Free groundwater measured at 3.63 feet on 9-26-92. Boring converted to monitoring well MW-6 on 9-28-92.
			30		
			35		
			40		

HLA

Harding Lawson Associates
Engineering and Environmental Services

LOG OF BORING B-28
SITE-6 FTA
RENO CANNON INTERNATIONAL AIRPORT
RENO, NEVADA

PLATE C21

DRAWN	JOB NUMBER	APPROVED	DATE	REVISED DATE
RLH	20893 11		11-9-92	