



## APPLICATION FOR PERMIT

### To appropriate the Public Waters of the State of Nevada

1. Date of receipt of application September 21, 1906
2. Name of applicant Geo R. Raymond  
 Postoffice address: Salt Lake City, Utah  
 County Salt Lake
  - I. If applicant is a corporation, give
    - (a) Date and place of corporation \_\_\_\_\_
    - (b) The amount of capital stock \_\_\_\_\_
    - (c) The amount paid in \_\_\_\_\_
    - (d) The names and addresses of Directors \_\_\_\_\_
3. The quantity of water claimed is (one) cubic feet per second.
4. Source of water supply Springs Est 200000 Gallons every 24 hours
5. Location of point of diversion Raymond Ranch 6 1/2 miles N. of Beatty  
Nye County on the Amargosa
6. To be used for:
  - I. Irrigation and domestic use: 11-47
    - (a) Number of acres to be irrigated 160 acres.
    - (b) In the following legal subdivisions \_\_\_\_\_  
 (A list of lands to be irrigated may be appended as a part of this application.)
  - II. Mining, power, manufacturing or transportation purposes:
    - (a) To be used for Mining, milling and Horse power.
    - (b) Amount of power to be generated unknown at present horse power.
    - (c) At what point Bullfrog Nevada 11 1/2 miles S of point of diversion
    - (d) Is water to be returned to stream, ("yes" or "no") yes.
    - (e) If "yes" at what point after leaving Mill. at Bullfrog, Nye
7. Estimated cost of works \$200000
8. Description of works for diversion:
  - I. Kind of works (reservoir, dam, ditch, flume, pipes or otherwise) \_\_\_\_\_  
Ore Concentrating and Reduction Works  
Water to be piped from Ranch to a point in  
Bullfrog District (distance 11 1/2 miles) by  
gravity. Size of pipe 6-9 + 11 inches.

II. Dimensions of works:

(a) Height of dam, \_\_\_\_\_ feet; length of dam at top, \_\_\_\_\_ feet; length of dam at bottom, \_\_\_\_\_ feet; material used in construction (wood, earth, stone or concrete) \_\_\_\_\_

(b) Capacity of reservoir \_\_\_\_\_ acre-feet.

(c) Size of headgate—width, \_\_\_\_\_ feet; height, \_\_\_\_\_ feet.

(d) Ditch (flume or pipe)—width at bottom, \_\_\_\_\_ feet; width at water line, \_\_\_\_\_ feet; depth of water, \_\_\_\_\_ feet. Average grade per mile is 15 feet. Length of <sup>pipeline</sup> ditch is 1 1/2 miles, and crosses the following quarter sections: unsurveyed

to Bullfrog Nevada which is the point of intended use.

APPROVAL OF STATE ENGINEER

The number of this permit is 220.

Date of receipt of first application Sept. 21, 1906.

Return to applicant for correction \_\_\_\_\_ 190  .

Corrected application received \_\_\_\_\_ 190  .

Last notice published Nov. 24 1906.

Recorded in Book B, page 220.

✓ Approved Feb. 7, 1907.

This is to certify that I have examined the within application for a permit to appropriate the public waters of the State of Nevada, and hereby grant the same, subject to the following limitations and conditions:

The amount of water to be appropriated not more than one cubic feet per second.

The construction of the within described works to be commenced not later than July 1, 1907

One-fifth of the work above specified to be completed on or before Jan. 1, 1908

The whole of said work to be completed on or before July 1, 1908

The time for the proof of beneficial use of water appropriated in accordance herewith, to extend to July 1, 1909

Witness my hand this seventh day of February, 1907.

Henry Thwait  
State Engineer.

REMARKS

(This space not to be written in by applicants.)

to succeed May 23<sup>d</sup> 1910 E.O.B.