

John G. Reid
Lovelocks.

APPLICATION FOR PERMIT To appropriate the Public Waters of the State of Nevada

1. Date of receipt of application Jan. 16, 1907.
2. Name of applicant The Nevada United Mining Company
Postoffice address: Lovelocks, Nevada
County Humboldt
- I. If applicant is a corporation, give
 - (a) Date and place of corporation _____
 - (b) The amount of capital stock \$200,000.00
 - (c) The amount paid in \$96,000.00
 - (d) The names and addresses of Directors Oliver G. Jennings, Louis J. Merkel, Edward M. Burghard, George Lowther, John G. Gillis, David R. Fowler, all of 51 Wall St. New York City, N.Y. and John T. Reid of Lovelock, Nev.
3. The quantity of water claimed is ten (10) cubic feet per second.
4. Source of water supply Tule Cañon, White Cloud Mining District.
5. Location of point of diversion about 3/4 miles up Cañon, 1/2 miles up Cañon,
6. To be used for: and at mouth of Cañon. 23-35

I. Irrigation and domestic use:

- (a) Number of acres to be irrigated _____ acres.
- (b) In the following legal subdivisions _____

(A list of lands to be irrigated may be appended as a part of this application.)

II. Mining, power, manufacturing or transportation purposes:

- (a) To be used for Mining, milling and tourmalite purposes
- (b) Amount of power to be generated None horse power.
- (c) At what point _____
- (d) Is water to be returned to stream, ("yes" or "no") No (No stream to return it to.)
- (e) If "yes" at what point _____

7. Estimated cost of works \$5000.00

8. Description of works for diversion:

I. Kind of works (reservoir, dam, ditch, flume, pipes or otherwise) Building reservoir, ditch and pipes.

II. Dimensions of works:

(a) Height of dam, 4 feet; length of dam at top, 50 feet; length of dam at bottom, 30 feet; material used in construction (wood, earth, stone or concrete) Earth & stone.

(b) Capacity of reservoir 20,000 acre-feet.

(c) Size of headgate—width, 2 feet; height, 2 feet.

(d) Ditch (flume or pipe)—width at bottom, 3 feet; width at water line, 5 feet; depth of water, feet. Average grade per mile is 400 feet. Length of ditch is 1/4 to 1 miles, and crosses the following quarter sections: Unsurveyed

to T. 23 N. R. 34 E. which is the point of intended use.

APPROVAL OF STATE ENGINEER

The number of this permit is 337.

Date of receipt of first application, 1907.

Return to applicant for correction 1907.

Corrected application received 1907.

Last notice published Feb. 22 1907.

Recorded in Book B., page 337.

Approved May 9, 1907.

This is to certify that I have examined the within application for a permit to appropriate the public waters of the State of Nevada, and hereby grant the same, subject to the following limitations and conditions:

The amount of water to be appropriated not more than 10 cubic feet per second.

The construction of the within described works to be commenced not later than July 1-1907

One-fifth of the work above specified to be completed on or before Sept. 1-1908

The whole of said work to be completed on or before Sept. 1-1908

The time for the proof of beneficial use of water appropriated in accordance herewith, to extend to Oct 1-1908

Witness my hand this second day of May, 1907.

Henry Shurtell

State Engineer.

REMARKS

(This space not to be written in by applicants.)

Proof of Beneficial use. APR - 6 1910

Map filed - Feb - 15 - 08.

Map filed MAY - 9 1912

CANCELLED MAR 29 1913 BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

Roland D. Westergard STATE ENGINEER