

# APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Nevada

FILED SEP 4 - 1909

1. Date of receipt of Application \_\_\_\_\_

2. Name of applicant Geo Kinney

Postoffice address: Hatthorne Cedarville

County Emeralda Cal.

I. If applicant is a corporation, give

- (a) Date and place of corporation \_\_\_\_\_
- (b) The amount of capital stock \_\_\_\_\_
- (c) The amount paid in \_\_\_\_\_
- (d) The names and addresses of Directors \_\_\_\_\_

3. The quantity of water claimed is 2 1/2 Total flow. cubic feet per second.

4. Source of water supply Love Spring - T. 42 N. R. 21 E.

5. Location of point of diversion Sec. 31 S. W. 4 of the N. E 4  
T. 42 N. R. 21 E.

6. To be used for:

I. Irrigation and domestic use: Stock purposes.

- (a) Number of acres to be irrigated 40 acres.
- (b) In the following legal subdivisions \_\_\_\_\_

(A list of lands to be irrigated may be appended as a part of this application.)

II. Mining, power, manufacturing or transportation purposes:

- (a) To be used for \_\_\_\_\_
- (b) Amount of power to be generated \_\_\_\_\_ horse power.
- (c) At what point \_\_\_\_\_
- (d) Is water to be returned to stream, ("yes" or "no") No.
- (e) If "yes" at what point \_\_\_\_\_

7. Estimated cost of works \_\_\_\_\_

8. Description of works for diversion: \_\_\_\_\_

I. Kind of works (reservoir, dam, ditch, flume, pipes or otherwise)

Open Cut & Ditch

II. Dimensions of works:

(a) Height of dam, \_\_\_\_\_ feet; length of dam at top, \_\_\_\_\_ feet; length of dam at bottom, \_\_\_\_\_ feet; material used in construction (wood, earth, stone or concrete) \_\_\_\_\_

(b) Capacity of reservoir \_\_\_\_\_ acre-feet.

(c) Size of headgate—width, \_\_\_\_\_ feet; height, \_\_\_\_\_ feet.

(d) Ditch (flume or pipe)—width at bottom, \_\_\_\_\_ feet width at water line, \_\_\_\_\_ feet; depth of water, \_\_\_\_\_ feet. Average grade per mile is \_\_\_\_\_ feet. Length of ditch is \_\_\_\_\_ miles, and crosses the following quarter sections: \_\_\_\_\_

to \_\_\_\_\_ which is the point of intended use.

APPROVAL OF STATE ENGINEER

The number of this permit is 1422.

Date of receipt of first application SEP 4-1909 190\_\_\_\_\_

Return to applicant for correction SEP 4-1909 190\_\_\_\_\_

Corrected application received NOV 12 1909 190\_\_\_\_\_

Last notice published December 21<sup>st</sup> 1909 FILED DEC 24 1909

Recorded in Book F, page 1422

Approved, March 10<sup>th</sup> 1901 For stock watering only.

This is to certify that I have examined the within application for a permit to appropriate the public waters of the State of Nevada, and hereby grant the same, subject to the following limitations and conditions:

The amount of water to be appropriated not more than .05 cubic feet per second.

The construction of the within described works to be commenced not later than June 10<sup>th</sup> 1911

One-fifth of the work above specified to be completed on or before August 10<sup>th</sup> 1911

The whole of said work to be completed on or before September 10<sup>th</sup> 1911

The time for the proof of beneficial use of water appropriated in accordance herewith, to extend to November 10<sup>th</sup> 1911

Witness my hand this Tenth day of March, 1901  
Wm. S. Boyle State Engineer.

FORM AFFIDAVIT TO A FILED Dec 30-1910

REMARKS

This space not to be written in by applicant.

Cancelled because of failure to file proof of commencement of work JUL 10 1911

W. M. KEARNEY  
State Engineer.