1462

No. 1462

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Nevada

FILED OCT 15 1909

1. Date of receipt of Application _____

2. Name of applicant J. L. Robinson

Postoffice address 32 E. Second St.

County Washoe.

I. If applicant ~~is~~ a corporation, give

(a) Date and place of corporation _____

(b) The amount of capital stock _____

(c) The amount paid in _____

(d) The names and addresses of Directors _____

3. The quantity of water claimed is One Hundred cubic feet per second.

4. Source of water supply Washoe Lake

5. Location of point of diversion North End of Lake

Sec-12-T.16 N R 19E

6. To be used for:

I. Irrigation and domestic use:

(a) Number of acres to be irrigated About 4000 acres.

(b) In the following legal subdivisions _____

(A list of lands to be irrigated may be appended as a part of this application.)

Secs 27-28-29-32-33-34-T.19 N R 20 E

Secs. 2-3-4-9-10-11-14-15-16-21-22

23-27-28-33-34-T.18 N. R. 20 E.

II. Mining, power, manufacturing or transportation purposes:

(a) To be used for _____

(b) Amount of power to be generated _____ horse power.

(c) At what point _____

(d) Is water to be returned to stream, ("yes" or "no") No.

(e) If "yes" at what point _____

7. Estimated cost of works $25000.00

8. Description of works for diversion:

I. Kind of works (reservoir, dam, ditch, flume, pipes or otherwise)

Dams & ditches

Cancelled because of failure to file proof of commencement of work JUN 10 1911

State Engineer.

Check. #1173 - Bonham R. & T. Co. J. L. Robinson. 25.00
Notice to Reno Reveille.

II. Dimensions of works:

(a) Height of dam, _____ feet; length of dam at top, _____ feet; length of dam at bottom, _____ feet; material used in construction (wood, earth, stone or concrete) Figures will be given later

(b) Capacity of reservoir _____ acre-feet.

(c) Size of headgate—width, _____ feet; height, _____ feet.

(d) Ditch (flume or pipe)—width at bottom, _____ feet width at water line, _____ feet; depth of water, _____ feet. Average grade per mile is _____ feet. Length of ditch is _____ miles, and crosses the following quarter sections: To be given later.

to _____ which is the point of intended use.

APPROVAL OF STATE ENGINEER

The number of this permit is 1462.

Date of receipt of first application October 15th 1909.

Return to applicant for correction _____ 190__.

Corrected application received _____ 190__.

Last notice published Nov. 16 1909. FILED NOV 19 190

Recorded in Book H., page 1462

Approved, FEB 17 1911 190__.

This is to certify that I have examined the within application for a permit to appropriate the public waters of the State of Nevada, and hereby grant the same, subject to the following limitations and conditions:

The amount of water to be appropriated not more than 40 cubic feet per second.

The construction of the within described works to be commenced not later than May 1st 1911

One-fifth of the work above specified to be completed on or before May 1st 1913

The whole of said work to be completed on or before May 1st 1914

The time for the proof of beneficial use of water appropriated in accordance herewith, to extend to October 1st 1916

Witness my hand this Sixteenth day of February, 1911

It is proposed to use about ten feet in depth below low water mark of Washoe Lake, and if possible to raise the Lake ten feet above low water mark during flood season, by means of suitable dam.

This application is also intended to apply such excess water of the Lake and of Steamboat Creek as may be diverted therefrom by the California-Nevada Electric Power Company.

To be diverted by me at a point in Steamboat Creek where said power company returns such waters to Steamboat Creek in Pleasant Valley, as set forth in their application now on file in the State Engineer's office at Carson.

(Signed) J. L. Robinson.

H. M. Kearney
Fer. Eng. State Engineer.

Check. # 1173 - Bonham R. & T. Co. J. L. Robinson. 25.00
Notice to Reno Reveille.

1462

II. Dimensions of works:

(a) Height of dam, _____ feet; length of dam at top, _____ feet; length of dam at bottom, _____ feet; material used in construction (wood, earth, stone or concrete) Figures will be given later

(b) Capacity of reservoir _____ acre-feet.

(c) Size of headgate—width, _____ feet; height, _____ feet.

(d) Ditch (flume or pipe)—width at bottom, _____ feet width at water line, _____ feet; depth of water, _____ feet. Average grade per mile is _____ feet. Length of ditch is _____ miles, and crosses the following quarter sections: To be given later.

to _____ which is the point of intended use.

APPROVAL OF STATE ENGINEER

The number of this permit is 1462.

Date of receipt of first application October 15th 1909.

Return to applicant for correction _____ 190__.

Corrected application received _____ 190__.

Last notice published Nov. 16 1909. FILED NOV 19 190

Recorded in Book H., page 1462

Approved, FEB 17 1911 190__.

This is to certify that I have examined the within application for a permit to appropriate the public waters of the State of Nevada, and hereby grant the same, subject to the following limitations and conditions:

The amount of water to be appropriated not more than 40 cubic feet per second.

The construction of the within described works to be commenced not later than May 1st 1911

One-fifth of the work above specified to be completed on or before May 1st 1913

The whole of said work to be completed on or before May 1st 1914

The time for the proof of beneficial use of water appropriated in accordance herewith, to extend to October 1st 1916

Witness my hand this Sixteenth day of February, 1911

Emmet D. Boyle.
State Engineer.

REMARKS

This space not to be written in by applicant.

Issued subject to the rights of all prior appropriators including the rights initiated by the United States Reclamation Service.

Emmet D Boyle
State Engineer.

Cancelled because of failure to file JUN 10 1911
proof of commencement of work _____

W. M. Kearney
Sec. Pro. State Engineer.

Compared