

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Nevada

FILED OCT 20 1900

1. Date of receipt of Application _____

2. Name of applicant Isaac Reed

Postoffice address: Contact, Nev.

County Elko.

I. If applicant is a corporation, give

(a) Date and place of corporation _____

(b) The amount of capital stock _____

(c) The amount paid in _____

(d) The names and addresses of Directors _____

3. The quantity of water claimed is 25.01 Imp and cubic feet per second.

4. Source of water supply Selman River. Drough of same. located in N.W. 4 of N.W. 4 Sec-21-T.45-N.R.64E.

5. Location of point of diversion S. 67° 15' E 495 ft. from the N.E. Cor. Sec-20-T.45-N.R.64E.

6. To be used for:

I. Irrigation and domestic use:

(a) Number of acres to be irrigated -160- acres.

(b) In the following legal subdivisions _____

(A list of lands to be irrigated may be appended as a part of this application.)

SE 4 of N.W. 4 Sec-9. E 2 of S.W. 4 Sec 4 S. E 4 of N.W. 4 Sec-4-T.45-N.R.64E.

II. Mining, power, manufacturing or transportation purposes:

(a) To be used for _____

(b) Amount of power to be generated _____ horse power.

(c) At what point _____

(d) Is water to be returned to stream, ("yes" or "no") _____

(e) If "yes" at what point _____

7. Estimated cost of works \$1000⁰⁰

8. Description of works for diversion:

I. Kind of works (reservoir, dam, ditch, flume, pipes or otherwise)

Head gate & Ditch

Check #2 - on Henderson Bank Co. 25⁰⁰
Noted to Wells Herald.

1470

II. Dimensions of works:

(a) Height of dam, _____ feet; length of dam at top, _____ feet; length of dam at bottom, _____ feet; material used in construction (wood, earth, stone or concrete) _____

(b) Capacity of reservoir _____ acre-feet.

(c) Size of headgate—width, _____ feet; height, _____ feet.

(d) Ditch (flume or pipe)—width at bottom, 2.0 feet width at water line, 4.6 feet; depth of water, _____ feet. Average grade per mile is 5.28/100 feet. Length of ditch is 11300 feet, and crosses the following quarter sections: N.W. 1/4 N.W. 1/4 Sec 21; S.W. 1/4 S.W. 1/4 Sec. 16. N.W. 1/4 S.W. 1/4 Sec. 16; N.E. 1/4 S.E. 1/4 Sec 17; S.E. 1/4 N.E. 1/4 Sec 17; N.E. 1/4 N.E. 1/4 Sec. 17; N.W. 1/4 N.W. 1/4 Sec. 16 N.E. 1/4 N.W. 1/4 Sec 16; S.E. 1/4 S.W. 1/4 Sec. 9 S.W. 1/4 S.W. 1/4 Sec. 9 N.W. 1/4 S.W. 1/4 Sec 9 N.E. 1/4 S.W. 1/4 Sec 9 to S.E. 1/4 N.W. 1/4 Sec 9, all in which is the point of intended use. Twp. 43 N. R. 64 E.

APPROVAL OF STATE ENGINEER

The number of this permit is 1470.

Date of receipt of first application October 20th 1909.

Return to applicant for correction _____ 190_____.

Corrected application received _____ 190_____.

Last notice published Nov-19 1909 FILED NOV 23 1909

Recorded in Book A, page 1470

Approved, FEB 17 1911 190_____.

This is to certify that I have examined the within application for a permit to appropriate the public waters of the State of Nevada, and hereby grant the same, subject to the following limitations and conditions:

The amount of water to be appropriated not more than 16 cubic feet per second.

The construction of the within described works to be commenced not later than

May 15th 1911

One-fifth of the work above specified to be completed on or before January 1st 1914

The whole of said work to be completed on or before January 1st 1913

The time for the proof of beneficial use of water appropriated in accordance herewith, to extend to September 1-1913

Witness my hand this 18th day of February, 1901

Wm. Kearney

State Engineer.

P.C.H. June-28-1911.

REMARKS

This space not to be written in by applicant. Canceled APR -7-1917 because of failure of applicant to comply with provisions of permit.

Map FILED OCT 20 1909

W. Kearney

State Engineer.

The time within which work is to be completed under this permit is hereby extended to January 1st, 1914 and the time in which to file proof of beneficial use of the water is extended to September 1st, 1914. Witness my hand this 18th day of Sept. 1913

State Engineer.

Continued