



APPLICATION FOR PERMIT To appropriate the Public Waters of the State of Nevada

1. Date of receipt of Application JUN - 2 1910

2. Name of applicant Geo. W. Hattles

Postoffice address: Ely,
County White Pine County

I. If applicant is a corporation, give

- (a) Date and place of corporation _____
- (b) The amount of capital stock _____
- (c) The amount paid in _____
- (d) The names and addresses of Directors _____

3. The quantity of water claimed is 5 cubic feet per second.

4. Source of water supply Batha Creek

5. Location of point of diversion West half of Sect. 34, T. 19 N. R. 61 E. M. D. M.
as near as can be ascertained said land being unsurveyed

6. To be used for:

I. Irrigation and domestic use:

- (a) Number of acres to be irrigated 160 acres,
- (b) In the following legal subdivisions West half, NW 1/4 Sect 34, and NW 1/4 of S. NW 1/4 Sect. 34, and SW 1/4 of NW 1/4 Sect 27, T. 19 N. R. 61 E. M. D. M., as near as can be ascertained being unsurveyed.
(A list of lands to be irrigated may be appended as a part of this application.)

Compared. N.M.C. 6/2/10.

II. Mining, power, manufacturing or transportation purposes:

- (a) To be used for _____
- (b) Amount of power to be generated _____ horse power.
- (c) At what point _____
- (d) Is water to be returned to stream, ("yes" or "no") _____
- (e) If "yes" at what point _____

7. Estimated cost of works _____

8. Description of works for diversion: _____

I. Kind of works (reservoir, dam, ditch, flume, pipes or otherwise)

Dams, Reservoir and ditches.

II. Dimensions of works:

feet: length of dam at

(a) Height of dam, 25 feet; length of dam at top, 22 feet, length of dam at bottom, 8 feet; material used in construction (wood, earth stone or concrete) Wood, Earth and Stone.

(b) Capacity of reservoir 1/2 acre-feet.

(c) Size of headgate—width, 1 1/2 feet; height, 4 feet.

(d) Ditch (flume or pipe)—width at bottom, 3 feet width at water line, 5 feet; depth of water, feet. Average grade per mile is 72 feet. Length of ditch is 3/4 miles, and crosses the following

quarter sections: NE 1/2 Sect. 34 and SW 1/4 Sect. 27, T. 19 N. R. 6 E. M. D. 71.

to Same Land which is the point of intended use.

APPROVAL OF STATE ENGINEER

C. R. Rees, Atty for Applicant.

The number of this permit is 1704
Date of receipt of first application June 22 1910
Return to applicant for correction 19
Corrected application received 19

Publication of notice completed
~~Last notice published~~ June 30th 1910 19

Recorded in Book "I", page 1704.

~~Approved, Denied~~ October 2, 1912 19

This is to certify that I have examined the within application for a permit to appropriate the public waters of the State of Nevada, and hereby grant the same, subject to the following limitations and conditions:

The amount of water to be appropriated not more than cubic feet per second.
The construction of the within described works to be commenced not later than

One-fifth of the work above specified to be completed on or before

The whole of said work to be completed on or before

The time for the proof of beneficial use of water appropriated in accordance herewith, to extend to

Witness my hand this day of , 19

State Engineer.

Denied on the ground that the heirs of the applicant herein do not wish to proceed with the appropriation, and that its approval under such conditions would be against public policy and detrimental to the public welfare.

Willis Kearney
State Engineer.

Compared 1/20/1913

II. Dimensions of works:

(a) Height of dam, e: length of dam at top, feet; length of dam at bottom, feet; material used in construction (wood, earth, stone, or concrete)

(b) Capacity of reservoir acre feet.

(c) Size of headgate—width, feet; height, feet.

(d) Ditch (flume or pipe)—width at bottom, feet; width at water line, feet.

Average grade per mile is feet. Length of ditch is miles, and crosses the following quarter sections:

to which is the point of intended use.

REMARKS:

(This space is not to be written in by applicants.)