



# APPLICATION FOR PERMIT To Appropriate the Public Waters of the State of Nevada

1. Date of receipt of Application JUN 14 1910  
 2. Name of applicant E. A. Frissell  
 Postoffice address: Elko,  
 County Elko.

I. If applicant is a corporation, give

- (a) Date and place of corporation \_\_\_\_\_
- (b) The amount of capital stock \_\_\_\_\_
- (c) The amount paid in \_\_\_\_\_
- (d) The names and addresses of Directors \_\_\_\_\_

3. The quantity of water claimed is all unappropriated water cubic feet per second.  
 4. Source of water supply Coal Mine Cañon, Jackstone Creek and all  
Creeks between the two.  
 5. Location of point of diversion Coal Mine Cañon, (probably) Sec. 33,  
T. 38 N. R. 56 E. M.D.M. Jackstone Creek Sec 19, T. 36 N. R. 56 E.  
 6. To be used for: Irrigation and Power purposes.

I. Irrigation and domestic use:

- (a) Number of acres to be irrigated 29,400 acres,
- (b) In the following legal subdivisions Secs. 11-12, T. 37 N. R. 56  
(A list of lands to be irrigated may be appended as a part of this application.)  
E.; 16-17-18-19-20-21-28-29-30, 31-32-33-T.  
37 N. R. 57 E. 25-26-27-28-29-32-33-34-35-36,  
T. 36 N. R. 56 E. 4-5-6-7-8-9-16-17-18-19-20-21,  
28-29-30-31-32-33-T. 36 N. R. 57 E.; 2-3; T. 35 N.  
R. 56 E.; 5-6-T. 35 N. R. 57 E.

II. Mining, power, manufacturing or transportation purposes:

- (a) To be used for Generating Electricity
- (b) Amount of power to be generated 1,000 horse power.
- (c) At what point Not yet decided.
- (d) Is water to be returned to stream, ("yes" or "no") No.
- (e) If "yes" at what point \_\_\_\_\_

7. Estimated cost of works \$250,000.00

8. Description of works for diversion: \_\_\_\_\_

I. Kind of works (reservoir, dam, ditch, flume, pipes or otherwise)

Reservoirs and ditches.

Crawford N.P.C.  
6/14/10

II. Dimensions of works:

(a) Height of dam, 100 feet; length of dam at top, 500 feet, length of dam at bottom, 250 feet; material used in construction (wood, earth stone or concrete) Earth, stone and concrete.

(b) Capacity of reservoirs 90,000 acre-feet.

(c) Size of headgate—width, \_\_\_\_\_ feet; height, \_\_\_\_\_ feet.

(d) Ditch (flume or pipe)—width at bottom, \_\_\_\_\_ feet width at water line, \_\_\_\_\_ feet; depth of water, \_\_\_\_\_ feet. Average grade per mile is \_\_\_\_\_ feet. Length of ditch is \_\_\_\_\_ miles, and crosses the following

quarter sections: \_\_\_\_\_

to \_\_\_\_\_ which is the point of intended use.

APPROVAL OF STATE ENGINEER

The number of this permit is 1719

Date of receipt of first application June-14 1910.

Return to applicant for correction July-28 1910.

Corrected application received Aug-1 1910.

Last notice published September-10<sup>th</sup> 1910.

Recorded in Book I, page 1719.

MAY 15 1911

This permit is issued with the condition that the applicant file with the State Engineer within sixty days, a map showing in detail, contours, area, and capacity of reservoir; Location and capacity of canal; Subdivisions of land proposed to be irrigated, The location of the Humboldt River Adjacent to the lands. The applicant will be further required to file Proof in this office at the same time, that he has possession of the land, or that contracts or agreements are entered into for the furnishing of these lands with water. If under the Carey act, the application for temporary withdrawal, must be filed with State Register of Lands under the Cary Act, prior to the time specified for filing of maps.

It is further expressly understood that no water shall be impounded during the irrigating season, when there is no unappropriated water in the stream, And the State Engineer or his duly authorized representative, will have jurisdiction over all works of control installed, with respect to the time when water can be stored.

W. W. Kearney  
State Engineer.

II. Dimensions of works:

(a) Height of dam, 100 feet; length of dam at top, 500 feet, length of dam at bottom, 250 feet; material used in construction (wood, earth stone or concrete) Earth, stone and concrete.

(b) Capacity of reservoirs 90,000 acre-feet.

(c) Size of headgate—width, \_\_\_\_\_ feet; height, \_\_\_\_\_ feet.

(d) Ditch (flume or pipe)—width at bottom, \_\_\_\_\_ feet width at water line, \_\_\_\_\_ feet; depth of water, \_\_\_\_\_ feet. Average grade per mile is \_\_\_\_\_ feet. Length of ditch is \_\_\_\_\_ miles, and crosses the following

quarter sections: \_\_\_\_\_

to \_\_\_\_\_ which is the point of intended use.

APPROVAL OF STATE ENGINEER

The number of this permit is 1719

Date of receipt of first application June-14 1910.

Return to applicant for correction July-28 1910.

Corrected application received \_\_\_\_\_ 19\_\_\_\_.

Last notice published September-10<sup>th</sup> 1910.

Recorded in Book I, page 1719.

Approved, MAY 15 1911 19\_\_\_\_.

This is to certify that I have examined the within application for a permit to appropriate the public waters of the State of Nevada, and hereby grant the same, subject the following limitations and conditions:

The amount of water to be appropriated not more than 2160 <sup>acre foot.</sup> ~~cubic feet per second.~~

The construction of the within described works to be commenced not later than

Aug-1-1911

One-fifth of the work above specified to be completed on or before Aug-1-1912

The whole of said work to be completed on or before Sept. 1-1914

The time for the proof of beneficial use of water appropriated in accordance herewith, to extend to Sept-1-1915

Witness my hand this 15<sup>th</sup> day of May, 1911.

W. W. Kearney State Engineer.

Cancelled because of failure to file

proof of commencement of work Sep. 5 REMARKS

This space must not be written in by applicant.

State Engineer.