



# APPLICATION FOR PERMIT To appropriate the Public Waters of the State of Nevada

1. Date of receipt of Application JUL 30 1910

2. Name of applicant Jacob Welch

Postoffice address: Sharp.

County Nye

I. If applicant is a corporation, give

(a) Date and place of corporation \_\_\_\_\_

(b) The amount of capital stock \_\_\_\_\_

(c) The amount paid in \_\_\_\_\_

(d) The names and addresses of Directors \_\_\_\_\_

3. The quantity of water claimed is 2 1/2 cubic feet per second.

4. Source of water supply Pine Creek

5. Location of point of diversion North west corner of the NW 1/4 of NE 1/4 Sec. 7, Twp. 2 North Range 57 East - M.D.B. & M.

6. To be used for: Irrigation.

I. Irrigation and domestic use:

(a) Number of acres to be irrigated 320 acres,

(b) In the following legal subdivisions \_\_\_\_\_

(A list of lands to be irrigated may be appended as a part of this application.)

NE 1/4 of SW 1/4 and SE 1/4 Sec. 7; The SW 1/4 of SW 1/4 Sec. 8; The NW 1/4 of NW 1/4 Sec. 17; The NE 1/4 of NE 1/4 Sec. 18, Twp. 2 north of Range 57 East. M.D.B. & M.

II. Mining, power, manufacturing or transportation purposes:

(a) To be used for \_\_\_\_\_

(b) Amount of power to be generated \_\_\_\_\_ horse power.

(c) At what point \_\_\_\_\_

(d) Is water to be returned to stream, ("yes" or "no") No

(e) If "yes" at what point \_\_\_\_\_

7. Estimated cost of works \$300.<sup>00</sup>

8. Description of works for diversion: \_\_\_\_\_

I. Kind of works (reservoir, dam, ditch, flume, pipes or otherwise)

• Dam and ditch

Compared 7/30/11 - N.C.

II. Dimensions of works:

(a) Height of dam, 6 feet; length of dam at top, 12 feet, length of dam at bottom, 8 feet; material used in construction (wood, earth stone or concrete) Wood, Earth and Stone.

(b) Capacity of reservoir \_\_\_\_\_ acre-feet.

(c) Size of headgate—width, 3 feet; height, 2 feet.

(d) Ditch (flume or pipe)—width at bottom, 3 feet width at water line, 4 feet; depth of water, \_\_\_\_\_ feet. Average grade per mile is 1/3 feet. Length of ditch is 1/2 miles, and crosses the following quarter sections: NE 1/4 Sec. 7.

to SE 1/4 Sec. 7. etc. which is the point of intended use.

APPROVAL OF STATE ENGINEER

The number of this permit is 1772

Date of receipt of first application July-30th 1910 19\_\_.

Return to applicant for correction \_\_\_\_\_ 19\_\_.

Corrected application received \_\_\_\_\_ 19\_\_.

~~Publication of notice Completed~~  
~~East notice published~~ August-27th 1910 19\_\_.

Recorded in Book I, page 1772.

Approved, August-22nd 1911

This is to certify that I have examined the within application for a permit to appropriate the public waters of the State of Nevada, and hereby grant the same, subject to the following limitations and conditions:

The amount of water to be appropriated not more than 3.2 cubic feet per second.

The construction of the within described works to be commenced not later than Sept. 10th. 1911

One-fifth of the work above specified to be completed on or before December, 1st 1911

The whole of said work to be completed on or before July-1st. 1912

The time for the proof of beneficial use of water appropriated in accordance herewith, to extend to September 20th. 1914

Witness my hand this 22nd day of August, 1911

*This permit is subject to 253 acres under permit # 538. requiring 2.53 cu. ft. of water per sec. Subject to 160 Acres right by G.B. Welsh on Pine Creek.*

W.M. Kearney  
State Engineer.

REMARKS

Map filed Mar. 25-1911

*This space must not be written in by applicant.*

Cancelled because of failure to file OCT 10 1911  
proof of commencement of work \_\_\_\_\_

W. M. KEARNEY  
State Engineer.