

**APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of first receipt and filing in State Engineer's office JUN 10 1911
Returned to applicant for correction _____
Corrected application filed _____

The undersigned George D. Maddalena
Name of applicant.
of Cherry Creek, County of White Pine,
State of Nevada, hereby make s application for
permission to appropriate the public waters of the State of Nevada,
as hereinafter stated. (If applicant is a corporation give date and
place of incorporation.) _____

1. The source of the proposed appropriation is Johnson's
Name of stream, lake, or other source.
Springs,
2. The amount of water applied for is .50 second-feet.
One second-foot equals 40 miners' inches.
3. The water to be used for Stock and Domestic use
Irrigation, power, mining, manufacturing, domestic, or other use.
4. The water is to be diverted from its source at the following
point: S. 55° W. 17035 feet distant from the 1/4 Sec. corner be-
Describe as being within a 40-acre subdivision of public survey, or by course and distance to a section corner. If on unsurveyed land it should be so stated.
tween Sections 14 and 15 Township 24 N.R. 62 E., M.D.B and M.

IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION:

- (a) Number of acres to be irrigated is None
- (b) Description of land to be irrigated None
Describe by legal subdivisions, or if on unsurveyed land it
should be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction,

- (c) Irrigation will begin about X and end about
Month.
X, of each year.
Month.

**IF WATER IS TO BE USED FOR POWER, MINING, TRANSPORTATION, OR OTHER USE, SUPPLY THE
FOLLOWING INFORMATION:**

- (d) Power to be developed is None horse power.
- (e) Works to be located No works for power
Give 40-acre subdivision on which works will be located, or locate by course and distance to a section corner.
- (f) Point of return of water to stream Not to be returned.
Describe in same manner as point of diversion.

(g) Remarks _____

401 B- 530

DESCRIPTION OF PROPOSED WORKS

By opencut 34' long and tunnel 180 feet long (now dug). From cut
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If water is to be
a pipe 17 feet long to trough, thence by 4 foot pipe to second
stored in reservoirs it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions.
trough.

- 5. Estimated cost of works Six Hundred Dollars (\$600.00)
- 6. Estimated time required to construct works Six months (practically finished)
- 7. Remarks The works are practically constructed and now in use and has been used heretofore by applicant and is a development of a very small size spring.

GEORGE D. MADDALENA, Applicant.

By O.E. Mann,

Compared *P.A.M. Key*

This sheet inspected _____, Engineer.

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

~~This permit is granted subject to all existing rights.~~

~~Its priority dates from the tenth day of June 1911.~~

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 1/20th cubic feet per second.

Actual construction work shall begin on or before December 15th. 1911

Proof of commencement of work shall be filed before January 15th. 1912

Work must be prosecuted with reasonable diligence and be completed on or before May 15th. 1912

Application of water to beneficial use shall be made on or before June 15th. 1912

Proof of the application of water to beneficial use must be filed with the State Engineer on or before August 15th. 1912

WITNESS MY HAND AND SEAL this 12th. day of October 1911.

Proof of labor filed DEC -9 1911

Map filed DEC -8 1911

Proof of beneficial use filed DEC 23 1911

W.M. Kearney
State Engineer.