

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Serial No. 2351

Date of first receipt and filing in State Engineer's office FEB 26 1912
Returned to applicant for correction
Corrected application filed

The undersigned Mike Pradere of Dayton, County of Lyon, State of Nevada, hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation give date and place of incorporation.)

- 1. The source of the proposed appropriation is Spring (No name) about 3/4 of a mile South and East of the Mound House
2. The amount of water applied for is 1/4 second-feet.
3. The water to be used for Domestic purposes and watering stock
4. The water is to be diverted from its source at the following point: in the SW 1/4 of the SE 1/4 of Sec. 31, T. 16, N.R. 21 E., M.D.M.

IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION:

- (a) Number of acres to be irrigated is
(b) Description of land to be irrigated

should be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction.

- (c) Irrigation will begin about and end about of each year.

IF WATER IS TO BE USED FOR POWER, MINING, TRANSPORTATION, OR OTHER USE, SUPPLY THE FOLLOWING INFORMATION:

- (d) Power to be developed is horse power.
(e) Works to be located At the spring.

- (f) Point of return of water to stream Do not return.

(g) Remarks

DESCRIPTION OF PROPOSED WORKS

Open cut into the bank at the point where the spring issues from State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If water the ground. Small dam to collect the water and a small trough to is to be stored in reservoir it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions. conduct the water to stock troughs. A series of stock troughs for the purpose of watering stock.

- 5. Estimated cost of works \$50.00
6. Estimated time required to construct works 30 days.
7. Remarks

For use of applicant.

MIKE PRADERE, Applicant.

By

Compared [Signature]
This sheet inspected [Signature]

, Engineer.

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 1/40 cubic feet per second.

Actual construction work shall begin on or before September 16th, 1912.

Proof of commencement of work shall be filed before October 16th, 1912.

Work must be prosecuted with reasonable diligence and be completed on or before October 16th, 1912.

Application of water to beneficial use shall be made on or before June, 16th, 1913.

Proof of the application of water to beneficial use must be filed with the State Engineer on or before July, 16th, 1913.

WITNESS MY HAND AND SEAL this 16th day of August, 1912.

Cancelled because of failure to file proof of commencement of work OCT 17 1912

[Signature] State Engineer.

W. M. KEARNEY

State Engineer.

Vertical stamp on the left margin.