

APPLICATION FOR PERMIT

Serial No. 2559

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of first receipt and filing in State Engineer's office NOV 19 1912
Returned to applicant for correction
Corrected application filed

The undersigned H.C. Neilson and J.S. Lyons
Name of applicant.
of Steamboat, County of Washoe
State of Nevada, hereby make application for
permission to appropriate the public waters of the State of Nevada,
as hereinafter stated. (If applicant is a corporation give date and
place of incorporation.)

- 1. The source of the proposed appropriation is Washoe Lake
Name of stream, lake, or other source.
after the water reaches low water mark,
2. The amount of water applied for is 5000 second-feet.
to be taken from said lake after the water reaches low water mark.
3. The water to be used for irrigation, domestic use.
Irrigation, power, mining, manufacturing, domestic, or other use.
4. The water is to be diverted from its source at the following
point: in Lots 3 and 5 in East half of W 1/2 of Sec. 1, Tp. 16, N.
Describe as being within a 40-acre subdivision of public survey, or by course and distance to a section corner. If on unsurveyed land it should be so stated.
Range 19 East, M.D.B & M.

IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION:

- (a) Number of acres to be irrigated is 4,120
(b) Description of land to be irrigated in Sections 4, 9, 10, 15,
Describe by legal subdivision, or if on unsurveyed land it
21, 22, 27, 28 and 33 in Tp. 18 North, Range 20 East M.D.B & M.
should be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction.
also in Sections 3, 4, 5, 9 and 18 Tp. 17 N.R. 20 East M.D.B & M.,
as per map hereto attached and made part of this application.
(c) Irrigation will begin about 15th of April
Month.
and end about
October 20th
Month.
of each year.

IF WATER IS TO BE USED FOR POWER, MINING, TRANSPORTATION, OR OTHER USE, SUPPLY THE FOLLOWING INFORMATION:

- (d) Power to be developed is horse power.
(e) Works to be located
Give 40-acre subdivision on which works will be located, or locate by course and distance to a section corner.
(f) Point of return of water to stream
Describe in some manner as point of diversion.
(g) Remarks

DESCRIPTION OF PROPOSED WORKS

The water of said Washoe Lake to be diverted by a ditch six feet State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If water on bottom in width, and eight feet in width on top of said ditch.

is to be stored in reservoirs it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions.

The grade of said ditch to about six inches to the mile. The dam to be six feet high, five feet wide and twenty feet long on top. Headgate three feet wide at bottom and three feet six inches at water line.

- 5. Estimated cost of works \$2500.00
6. Estimated time required to construct works One year.
7. Remarks It might take longer in case of high water or adverse litigation.

H.C. NEILSON, Applicants

By J.S. LYONS, APPLICANTS.

Mack Green & Heer, Attorneys for Applicants.

Compared [Signature]

This sheet inspected

PROTESTED by Ira L. Winters, Engineer, January 23rd, 1913.
PROTESTED by Washoe Lake Reservoir & Galena Creek Ditch Co., December 9th, 1912.

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued with the provision that the prior rights on the source be respected at all times. The amount of water granted in this permit is the quantity necessary to supply the deficiency in the requirement for the present cultivated land now irrigated by the Washoe Lake Reservoir and Galena Creek Ditch Company, estimated at 3110 acres.

A standard measuring weir and approved headgate must be installed as provided by law, for the economical distribution of the water granted herein. It is understood by the State Engineer and made a part of this permit that there is not 31.1 cubic feet per second of water continuous flow unappropriated in the source without storage. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 31.1 cubic feet per second.

- Actual construction work shall begin on or before August 3rd, 1913.
Proof of commencement of work shall be filed before September 3rd, 1913.
Work must be prosecuted with reasonable diligence and be completed on or before August 3rd, 1914.
Application of water to beneficial use shall be made on or before September 3rd, 1917.
Proof of the application of water to beneficial use must be filed with the State Engineer on or before October 3rd, 1917.

WITNESS MY HAND AND SEAL this 3rd day of June, 1913.

Proof of location filed NOV - 2 1913
Map filed MAY - 4 1914
Proof of beneficial use filed OCT - 1 1917

The time for beginning construction under this permit is hereby extended to Oct. 3rd, 1913, and the time for filing proof of commencement of work is extended to Nov. 3rd, 1913.

Witness my hand this 20th day of September, 1913.
[Signature]
State Engineer.

Compared [Signature]

- Copy -  
APPLICATION FOR PERMIT

Serial No. 2559

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of first receipt and filing in State Engineer's office \_\_\_\_\_  
 Returned to applicant for correction \_\_\_\_\_  
 Corrected application filed \_\_\_\_\_

The undersigned H.C. Neilson and J.S. Lyons  
Name of applicant.  
 of Steamboat, County of Washoe,  
 State of Nevada, hereby make application for  
 permission to appropriate the public waters of the State of Nevada,  
 as hereinafter stated. (If applicant is a corporation give date and  
 place of incorporation.) \_\_\_\_\_

1. The source of the proposed appropriation is Washoe Lake  
Name of stream, lake, or other source.  
 after the water reaches low water mark, \_\_\_\_\_
2. The amount of water applied for is 5000 second-feet.  
 to be taken from said lake after the ~~water reaches low water mark~~ \_\_\_\_\_
3. The water to be used for irrigation, domestic use.  
Irrigation, power, mining, manufacturing, domestic, or other use. \_\_\_\_\_
4. The water is to be diverted from its source at the following  
 point: in Lots 3 and 5 in East half of W $\frac{1}{2}$  of Sec. 1, Tp. 16, N.  
Describe as being within a 40-acre subdivision of public survey, or by course and distance to a section corner. If on unsurveyed land it should be so stated.  
Range 19 East, N.D.B & M.

IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION:

- (a) Number of acres to be irrigated is 4,120
- (b) Description of land to be irrigated in Sections 4, 9, 10, 15,  
Describe by legal subdivision, or if on unsurveyed land it  
21, 22, 27, 28 and 33 in Tp. 18 North, Range 20 East N.D.B & M.  
should be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction.  
also in Sections 3, 4, 5, 9 and 18 Tp. 17 N.R. 20 East N.D.B & M.,  
as per map hereto attached and made part of this application.
- (c) Irrigation will begin about 15th of April and end about  
Month.  
October 20th, of each year.  
Month.

IF WATER IS TO BE USED FOR POWER, MINING, TRANSPORTATION, OR OTHER USE, SUPPLY THE FOLLOWING INFORMATION:

- (d) Power to be developed is \_\_\_\_\_ horse power.

### DESCRIPTION OF PROPOSED WORKS

The water of said Washoe Lake to be diverted by a ditch six feet on bottom in width, and eight feet in width on top of said ditch. State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If water is to be stored in reservoirs it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions.

The grade of said ditch to about six inches to the mile. The dam to be six feet high, five feet wide and twenty feet long on top. Headgate three feet wide at bottom and three feet six inches at water line.

5. Estimated cost of works \$2500.00
6. Estimated time required to construct works One year.
7. Remarks It might take longer in case of high water or adverse litigation.  
For use of applicant.

H.C. NEILSON, Applicant<sup>s</sup>

By J.S. LYONS, APPLICANTS.

Mack Green & Heer, Attorneys for Applicants.

Compared *[Signature]*

This sheet inspected \_\_\_\_\_

Engineer.  
PROTESTED by Ira I. Winters, January 23rd, 1913.  
PROTESTED by Washoe Lake Reservoir & Galena Creek Ditch Co.,  
December 9th, 1912.

### APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued with the provision that the prior rights on the source be respected at all times. The amount of water granted in this permit is the quantity necessary to supply the deficiency in the requirement for the present cultivated land now irrigated by the Washoe Lake Reservoir and Galena Creek Ditch Company, estimated at 3110 acres.

A standard measuring weir and approved headgate must be installed as provided by law, for the economical distribution of the water granted herein. It is understood by the State Engineer and made a part of this permit that there is not 31.1 cubic feet per second of water continuous flow unappropriated in the source without storage. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 31.1--cubic feet per second.

Actual construction work shall begin on or before August 3rd, 1913.

Proof of commencement of work shall be filed before September 3rd, 1913.

Work must be prosecuted with reasonable diligence and be completed on or before August 3rd, 1914.