

AMENDED

APPLICATION FOR PERMIT

Serial No. 2668

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of first receipt and filing in State Engineer's office MAR 25 1913

Returned to applicant for correction APR - 2 1913

Corrected application filed MAY 31 1913

The undersigned Geo. Parker Name of applicant. of Fort Churchill, County of Lyon, State of Nevada, hereby make s application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation give date and place of incorporation.)

- 1. The source of the proposed appropriation is Churchill Canon Surface and underground waters
2. The amount of water applied for is 1.6 second-feet.
3. The water to be used for Irrigation and domestic
4. The water is to be diverted from its source at the following point: The east central part of the SE 1/4 of SW 1/4 of Sec. 32 Town- ship 16 North Range 24 East, M.D.B & M.

IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION:

- (a) Number of acres to be irrigated is One hundred and sixty(160)
(b) Description of land to be irrigated NE 1/4 SW 1/4 Sec. 22, E 1/2 of NW 1/4 Sec. 22 and SE 1/4 of SW 1/4 Sec. 15, all in Township 16 N.R. 24 E., M.D.B & M.

- (c) Irrigation will begin about April 1st and end about October 31st, of each year.

IF WATER IS TO BE USED FOR POWER, MINING, TRANSPORTATION, OR OTHER USE, SUPPLY THE FOLLOWING INFORMATION:

- (d) Power to be developed is None horse power.
(e) Works to be located
(f) Point of return of water to stream Not returned.
(g) Remarks

DESCRIPTION OF PROPOSED WORKS

It is proposed to tunnel into the bed of the canon and convey the State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If water water to the lands to be irrigated by means of cement ditches, is to be stored in reservoirs it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions. laterals and flumes.

- 5. Estimated cost of works Three thousand dollars-(\$3,000.00)
6. Estimated time required to construct works Five years.
7. Remarks It will require about six years to place all of water to beneficial use.

GEO. PARKER, Applicant.

By

Compared This sheet inspected, Engineer.

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is granted subject to prior rights.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed One & 6/10 cubic feet per second.

Actual construction work shall begin on or before May 1st.1914.

Proof of commencement of work shall be filed before June 1st.1914.

Work must be prosecuted with reasonable diligence and be completed on or before Sept. 1st.1918.

Application of water to beneficial use shall be made on or before Sept. 1st.1919.

Proof of the application of water to beneficial use must be filed with the State Engineer on or before Oct.1st.1919.

WITNESS MY HAND AND SEAL this 5th. day of November,1913.

Proof of labor filed JUN -1 1914

Cancelled Dec. 11, 1918 in compliance to comply with provisions of permit.

W. W. Kearney, State Engineer.

Seymour Case