

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of first receipt and filing in State Engineer's office MAR -5 1914
Returned to applicant for correction MAR -9 1914
Corrected application filed APR 23 1914

The undersigned W. H. Grant

Name of applicant.

of 303 Felt Bldg., Salt Lake City, County of Salt Lake,
State of Utah, hereby make s application for
permission to appropriate the public waters of the State of Nevada,
as hereinafter stated. (If applicant is a corporation give date and
place of incorporation.)

1. The source of the proposed appropriation is Red Bluff Springs
Name of stream, lake, or other source.
in Rail Road Valley, Nye County, Nevada, on unsurveyed land.

2. The amount of water applied for is 1/40 second-feet.
One second-foot equals 40 miners' inches.

3. The water to be used for Stock-watering purposes.
Irrigation, power, mining, manufacturing, domestic, or other use.

4. The water is to be diverted from its source at the following
point: (See supplemental sheet)
Describe as being within a 40-acre subdivision of public survey, or by course and distance to a section corner. If on unsurveyed land it should be so stated.

IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION:

(a) Number of acres to be irrigated is _____

(b) Description of land to be irrigated _____
Describe by legal subdivision, or if on unsurveyed land it

The water will be collected and held at the said spring in
should be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction.
troughs, and there used during the entire period of each and
every year, to water 250 head of cattle.

(c) Irrigation will begin about _____ and end about _____
Month.
_____, of each year.
Month.

IF WATER IS TO BE USED FOR POWER, MINING, TRANSPORTATION, OR OTHER USE, SUPPLY THE FOLLOWING INFORMATION:

(d) Power to be developed is _____ horse power.

(e) Works to be located _____
Give 40-acre subdivision on which works will be located, or locate by course and distance to a section corner.

Works for collecting said water will consist of a trench
leading into wooden troughs, permanently located at the spring.

(f) Point of return of water to stream _____
Describe in same manner as point of diversion.

(g) Remarks: There are no other surface waters within five miles
of said spring.

DESCRIPTION OF PROPOSED WORKS

Works for collecting waters of said spring will consist of a trench, State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If water leading to a wooden trough, located at the spring, of sufficient capacity to be stored in reservoirs it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions. capacity to water 250 head of cattle.

- 5. Estimated cost of works is \$50.00
6. Estimated time required to construct works 5 days.
7. Remarks Applicant has purchased all prior possessory rights, is in possession of land on which spring is located, and is applying waters of same to a beneficial use in watering cattle.

W. H. GRANT, Applicant.

By

Compared [Signature]

This sheet inspected [Signature], Engineer.

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is granted subject to any prior rights there may be on the source.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed .025(1/40) cubic feet per second.

Actual construction work shall begin on or before Dec. 1st, 1914.

Proof of commencement of work shall be filed before Jan. 1st, 1915.

Work must be prosecuted with reasonable diligence and be completed on or before Jan. 1st, 1915.

Application of water to beneficial use shall be made on or before May 1st, 1915.

Proof of the application of water to beneficial use must be filed with the State Engineer on or before June 1st, 1915.

WITNESS MY HAND AND SEAL this 1st. day of October, 1914.

Proof of labor filed Dec 24 1914

Proof of completion of work filed JAN - 8 1915

[Signature] State Engineer.

Map filed MAR 21 1915

Proof of beneficial use filed MAY - 8 1915

Certificate No. 288, Book 3 Page 288 Issued Dec. 11, 1916.

Near the middle of Tp. No. 2 N.R. 54 E., Mt. Diablo B & M upon unsurveyed land there is no known section corner near the spring, the county line between Nye County on the West, and Lincoln County on the East. Corners at the Spring in Tp. 2 N.R. 54 E., and is connected to a stone and earth monument 4 ft. in diameter at the base. 4 ft. high. built on a ridge 100 ft. high, that lays North 1630 ft. Whence Reveille Peak bears S. 42° W about 18 miles dist.

"Twin Springs Canyon bears N. 62° 10' W. 13 miles dist.

"Locks Peak bears N. 8° 15' W.