

APPLICATION FOR PERMIT

Serial No. 3174

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of first receipt and filing in State Engineer's office NOV 18 1914
Returned to applicant for correction
Corrected application filed

The undersigned Richard L. Gruwell
of Tuscarora, County of Elko,
State of Nevada, hereby make s application for
permission to appropriate the public waters of the State of Nevada,
as hereinafter stated. (If applicant is a corporation give date and
place of incorporation.)

- 1. The source of the proposed appropriation is Snow Canyon
Creek in Elko County, Nevada.
2. The amount of water applied for is 3.2 second-feet.
3. The water to be used for Irrigation and domestic purposes.
4. The water is to be diverted from its source at the following
point: SE 1/4 of NW 1/4 of Section 4, Twp. 40 N., Range 52 E., M.D.B &
M.

IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION:

- (a) Number of acres to be irrigated is 320
(b) Description of land to be irrigated SW 1/4 of NE 1/4, NE 1/4 of SE 1/4,
W 1/2 of SE 1/4, and SW 1/4 of Section 4, Township 40 N. R. 52 E., M.D.
B & M.

- (c) Irrigation will begin about April and end about
August, of each year.

IF WATER IS TO BE USED FOR POWER, MINING, TRANSPORTATION, OR OTHER USE, SUPPLY THE
FOLLOWING INFORMATION:

- (d) Power to be developed is horse power.
(e) Works to be located
(f) Point of return of water to stream
(g) Remarks

DESCRIPTION OF PROPOSED WORKS

Ditches and laterals.

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If water

is to be stored in reservoirs it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions.

5. Estimated cost of works \$250.00

6. Estimated time required to construct works 1 year.

7. Remarks

For use of applicant.

RICHARD L. GRUWELL, Applicant.

By J.L. Dartt, Attorney.

Compared *J.M. Kearney*

This sheet inspected

, Engineer.

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: deny the same on the ground that the records of this office indicate that, during the irrigating season, there is no surplus water in excess of the requirements for existing rights, in the source named herein.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed _____ cubic feet per second.

Actual construction work shall begin on or before _____

Proof of commencement of work shall be filed before _____

Work must be prosecuted with reasonable diligence and be completed on or before _____

Application of water to beneficial use shall be made on or before _____

Proof of the application of water to beneficial use must be filed with State Engineer on or before _____

WITNESS MY HAND AND SEAL this 22nd day of July, 1915.

W.M. Kearney
State Engineer.

Original of 6/22/15