

APPLICATION FOR PERMIT

Serial No. 3477

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of first receipt and filing in State Engineer's office JUN 30 1915
Returned to applicant for correction
Corrected application filed

The undersigned William Mathews, Jr.
of Panaca, County of Lincoln,
State of Nevada, hereby make application for
permission to appropriate the public waters of the State of Nevada,
as hereinafter stated. (If applicant is a corporation give date and
place of incorporation.)

- 1. The source of the proposed appropriation is West Wash, flood waters
2. The amount of water applied for is 600 Acres feet second-feet.
3. The water to be used for Irrigation
4. The water is to be diverted from its source at the following
point: S.W. 1/4 of S.E. 1/4 Sec. 6, Township 2 South, Range 68 E.
M.D.B. & M.

IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION:

- (a) Number of acres to be irrigated is 320
(b) Description of land to be irrigated S.W. 1/4 Sec. 6 and the N.W. 1/4
Sec. 7 Township 2 Soth, Range 68 E. M.D.B. & M.
(c) Irrigation will begin about April 1st and end about
Sept 1st, of each year.

IF WATER IS TO BE USED FOR POWER, MINING, TRANSPORTATION, OR OTHER USE, SUPPLY THE
FOLLOWING INFORMATION:

- (d) Power to be developed is horse power.
(e) Works to be located
(f) Point of return of water to stream
(g) Remarks

DESCRIPTION OF PROPOSED WORKS

Storage Dam and Pumping plant

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If water

Storage Dam to be constructed on the S.W. 1/4 of the S.E. 1/4 Sec 6, T.2

is to be stored in reservoirs it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions.

S.R. 68 E

- 5. Estimated cost of works \$2500.00
- 6. Estimated time required to construct works 2 Years
- 7. Remarks There is no regular flow of water in this wash, just flood runoff from Winter and Summer storms

Wm Mathews, Jr., Applicant.

By

Compared *R.M. King*

This sheet inspected _____, Engineer.

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: deny the same as abandoned in accordance with office letter dated March 16, 1916, such letter being a third request for the statutory fee for issuing and recording the permit.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed _____ cubic feet per second.

Actual construction work shall begin on or before _____

Proof of commencement of work shall be filed before _____

Work must be prosecuted with reasonable diligence and be completed on or before _____

Application of water to beneficial use shall be made on or before _____

Proof of the application of water to beneficial use must be filed with State Engineer on or before _____

WITNESS MY HAND AND SEAL this 8th, day of April, 1916.

W. W. Kearney
State Engineer.

Compared *R.M. King*