

APPLICATION FOR PERMIT

Serial No. 3561

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of first receipt and filing in State Engineer's office AUG 24 1915
Returned to applicant for correction
Corrected application filed

The undersigned Abner W. Sewell,
of Tuscarora, County of Elko,
State of Nevada, hereby make application for
permission to appropriate the public waters of the State of Nevada,
as hereinafter stated. (If applicant is a corporation give date and
place of incorporation.)

- 1. The source of the proposed appropriation is Cold Springs,
2. The amount of water applied for is One Fourth second-feet.
3. The water to be used for Domestic
4. The water is to be diverted from its source at the following
point: South East 1/4 of the SE 1/4 Section 5, T. 40 N.R. 50 E.,
M.D.M.

IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION:

- (a) Number of acres to be irrigated is For Domestic.
(b) Description of land to be irrigated
(c) Irrigation will begin about and end about
of each year.

IF WATER IS TO BE USED FOR POWER, MINING, TRANSPORTATION, OR OTHER USE, SUPPLY THE FOLLOWING INFORMATION:

- (d) Power to be developed is horse power.
(e) Works to be located SE 1/4 of the SE 1/4 of S. 5 T. 40 N.R. 50 E.,
(f) Point of return of water to stream No Stream Springs only
(g) Remarks

DESCRIPTION OF PROPOSED WORKS

The water is to be diverted with a pipe line about 4000 feet long
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If water
4. inch Galvanized pipe to be used. Commencing with 10 inch pipe
is to be stored in reservoirs it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions.
and Tapering to a 4. inch.

- 5. Estimated cost of works \$5000.00
- 6. Estimated time required to construct works 90 days if weather
- 7. Remarks permits, I want to pipe this water for domestic purposes and will ask time when conditions are the best to lay pipe and etc.

ABNER W. SEWELL, Applicant.

By _____

Compared *P.A. McKeary*
This sheet inspected _____

_____, Engineer.

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to all prior rights on the source.
The State reserves the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed One fourth cubic feet per second. (0.25)

Actual construction work shall begin on or before June 30, 1916.

Proof of commencement of work shall be filed before July 30, 1916.

Work must be prosecuted with reasonable diligence and be completed on or before September 30, 1916.

Application of water to beneficial use shall be made on or before September 30, 1917

Proof of the application of water to beneficial use must be filed with State Engineer on or before October 30, 1917.

WITNESS MY HAND AND SEAL this 30th day

of December, 1915.

W. M. Kearney
State Engineer.

Seymour Case
State Engineer.

Cancelled Nov. 22, 1916. Cause of failure of applicant to comply with provisions of permit.