ASSIGNED

APPLICATION FOR PERMIT Serial No. 4188

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Rate of first receipt and filing in State Engineer's office OCT 17 1916
Returned to applicant for correction
Corrected application filed

The undersigned BEN BRUNDRIDGE
Name of applicant.
of CITY OF RENO, County of WASHOE,
State of NEVADA, hereby make S application for
mission to appropriate the public waters of the State of Nevada,
hereinafter stated. (If applicant is a corporation give date and
ce of incorporation.)

416

The source of the proposed appropriation is Unnamed Creek
Name of stream, lake, or other source.
(Brundridge Creek)

2. The amount of water applied for is 3.2 second-feet.
One second-foot equals 40 miners' inches.

3. The water to be used for irrigation
Irrigation, power, mining, manufacturing, domestic, or other use.

4. The water is to be diverted from its source at the following point: NW4SW4 Sec.16, T.41 N.R.52 E M.D.B. & M.
Describe as being within a 40-acre subdivision of public survey, or by course and distance to a section corner. If on unsurveyed land it should be so stated

IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION:

(a) Number of acres to be irrigated is 320

(b) Description of land to be irrigated S2SW4 Sec.16 W2NW4 SEC.21
Describe by legal subdivision, or if on unsurveyed land it
NE4 Sec.20 T.41 N.R. 52 E. M.D.B. & M.
should be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction.

(c) Irrigation will begin about March 1st and end about
Month.
April 1st, of each year.
Month.

IF WATER IS TO BE USED FOR POWER, MINING, TRANSPORTATION, OR OTHER USE, SUPPLY THE FOLLOWING INFORMATION:

(d) Power to be developed is horse power.

(e) Works to be located
Give 40-acre subdivision on which works will be located, or locate by course and distance to a section corner.

(f) Point of return of water to stream
Describe in same manner as point of diversion.

(g) Remarks

DESCRIPTION OF PROPOSED WORKS

Ditches, Flumes or other conduits

State manner in which water is to be diverted; whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If water is to be stored in reservoirs it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions.

5. Estimated cost of works $250.

6. Estimated time required to construct works two years.

7. Remarks

For use of applicant.

Ben Brundridge, Applicant.

By Jay H. Clemons

Compared P. P. Jones

This sheet inspected

, Engineer.

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to all prior rights on the stream system of which this source may be a tributary. The amount of water herein granted is placed at the full statutory allowance of three and two tenths (3.2) cubic feet per second for the total acreage of land herein described, notwithstanding the fact that a full water right from Hot Creek under permit No. 4176, in which this applicant is interested, is also granted for a portion of such land. In this manner such amount of water may be diverted and used in the event no water whatever is available from the said Hot Creek. However, the total amount of water granted under both permits Nos. 4176 and 4188 must not exceed the statutory allowance for the maximum area of land described in both permits. A portion of the land described in this permit and duplicated in permit No. 4176 is already irrigated according to a map filed in this office in the name of the Palo Alto Land & Livestock Co. Such land entitled to a vested right from the source herein described, if any, will be eliminated from the final certificate under this permit, when issued, and the applicant will be required, at the time of filing proof of beneficial use of water, to definitely segregate the remaining areas of land which are irrigated from each of the sources described in this permit and permit No. 4176, in order that certificates can be issued for the land to which the water of each source is appurtenant. A standard headgate and weir must be installed at or near the point of diversion to facilitate the measurement and control of water. The State reserves the right to regulate the use of the water herein granted at any and all times. It is distinctly understood that applicant agrees to the terms herein contained.

of February, 1917.

W. M. Kearney

State Engineer.

Proof of completion of work filed JUL 19 1917

Proof of beneficial use filed JAN 10 1924

Cultural Map filed 1/10/24

Certificate No. 967 BK. 4 issued 1-12-24, for 1.936 c.f.s.

DESCRIPTION OF PROPOSED WORKS

Ditches, Flumes or other conduits

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If water is to be stored in reservoirs it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions.

5. Estimated cost of works $250.

6. Estimated time required to construct works two years

7. Remarks

For use of applicant.

Applicant

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed Three & 2/10 cubic feet per second. (3.2)

Actual construction work shall begin on or before June 24, 1917.

Proof of commencement of work shall be filed before July 24, 1917.

Work must be prosecuted with reasonable diligence and be completed on or before June 24, 1919.

Application of water to beneficial use shall be made on or before June 24, 1923. Proof of the application of water to beneficial use must be filed with State Engineer on or before July 24, 1923.

WITNESS MY HAND AND SEAL this 24th, day of February, 1917.

W. M. Kearney
State Engineer.

Proof of labor filed JUL 12 1917

Proof of completion of work filed JUL 10 1917

Cultural Map filed 1/10/24

Certificate No. 967 BK. 4 Issued 1-12-24, for 1.936 c.f.s.