

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of first receipt and filing in State Engineer's office OCT 13 1917
Returned to applicant for correction
Corrected application filed

The undersigned Union Land & Cattle Company
of City of Reno, County of Washoe, State of Nevada, hereby makes application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation give date and place of incorporation.) March 1st 1913, Nevada

- 1. The source of the proposed appropriation is Boulder Creek
2. The amount of water applied for is Five second-feet.
3. The water to be used for Irrigation & Domestic
4. The water is to be diverted from its source at the following point: SW 1/4 NE 1/4 Sec. 19, T. 40 N., R. 20 E. M. D. B. & M.

IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION:

- (a) Number of acres to be irrigated is 500 Acres
(b) Description of land to be irrigated S 1/2 NW 1/4, NE 1/4 SW 1/4 Sec. 19, T. 40 N., R. 20 E. N 1/2 SE 1/4, S 1/2 NW 1/4 Sec. 13; N 1/2 S 1/4 Sec. 14; SW 1/4 NE 1/4 NW 1/4, NW 1/4 SE 1/4 Sec. 15; SW 1/4 Sec. 10 T. 40 N. R. 19 E.
(c) Irrigation will begin about April 1st and end about October 1st

IF WATER IS TO BE USED FOR POWER, MINING, TRANSPORTATION, OR OTHER USE, SUPPLY THE FOLLOWING INFORMATION:

- (d) Power to be developed is horsepower.
(e) Works to be located
(f) Point of return of water to stream
(g) Remarks

DESCRIPTION OF PROPOSED WORKS

Dam & Ditches

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If water

is to be stored in reservoirs it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions.

5. Estimated cost of works \$300

6. Estimated time required to construct works two years

7. Remarks

For use of applicant.

UNION LAND & CATTLE COMPANY, Applicant.

By Jay H. Clemons,

Compared P. P. Jones.

This sheet inspected

, Engineer.

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed cubic feet per second.

Actual construction work shall begin on or before

Proof of commencement of work shall be filed before

Work must be prosecuted with reasonable diligence and be completed on or before

Proof of completion of work shall be filed before

Application of water to beneficial use shall be made on or before

Proof of the application of water to beneficial use must be filed with State Engineer on or before

WITNESS MY HAND AND SEAL this day

NOV 25 1918

Witnessed by applicant of

Seymour Case State Engineer

State Engineer.