

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of first receipt and filing in State Engineer's office DEC 22 1917
Returned to applicant for correction
Corrected application filed

The undersigned Carl Ray
of Sharps, County of Nye
State of Nevada, hereby makes application for
permission to appropriate the public waters of the State of Nevada,
as hereinafter stated. (If applicant is a corporation give date and
place of incorporation.)

1. The source of the proposed appropriation is
Unnamed Spring

2. The amount of water applied for is 0.25 second-feet.
(One second-foot equals 40 miners' inches.)

3. The water to be used for Stock Watering
Irrigation, power, mining, manufacturing, domestic, or other use.

4. The water is to be diverted from its source at the following
point: At a spring which is located on unsurveyed land but
approximately is in the East 1/2 of section 10 T. 3 N. R. 57 E. M.D.B. & M.
and from spring corner 5 of Homestead Elimination Survey No. 198, from
Nevada National Forest bears S. 3930' E. 4000. feet

IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION:

(a) Number of acres to be irrigated is
(b) Description of land to be irrigated

should be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction.

(c) Irrigation will begin about
Month. and end about
Month. of each year.

IF WATER IS TO BE USED FOR POWER, MINING, TRANSPORTATION, OR OTHER USE, SUPPLY THE
FOLLOWING INFORMATION:

(d) Power to be developed is horsepower.

(e) Works to be located
Give 40-acre subdivision on which works will be located, or locate by course and distance to a section corner.

(f) Point of return of water to stream
Describe in same manner as point of diversion.

(g) Remarks

DESCRIPTION OF PROPOSED WORKS

This spring is not much more than a seep but it is intention of State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If water applicant herein to trench into it and convey water about 50 feet in pipe into as many troughs as can be kept full, for stock watering uses.

5. Estimated cost of works \$150.00

6. Estimated time required to construct works 4 months

7. Remarks

For use of applicant.

Carl Ray, Applicant.

By W. B. Colwell.

Compared P.P. Jones.

This sheet inspected \_\_\_\_\_, Engineer.

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to all prior rights on the source.

The State reserves the right to regulate the use of the water herein granted at any and all times. It is distinctly understood that applicant agrees to the terms herein contained.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.025 cubic feet per second. ( One fortieth )

Actual construction work shall begin on or before May 16, 1919.

Proof of commencement of work shall be filed before June 16, 1919.

Work must be prosecuted with reasonable diligence and be completed on or before September 16, 1919.

Proof of completion of work shall be filed before October 16, 1919.

Application of water to beneficial use shall be made on or before April 16, 1920. Proof of the application of water to beneficial use must be filed with State Engineer on or before May 16, 1920.

Proof of labor filed JUN 16 1919 WITNESS MY HAND AND SEAL this 16th day of December, 1918.

Map filed JUL - 7 1918 Cancelled Jan 6, 1920 because of failure to comply with provisions of permit.

Jan 6 1920

J. J. Cunningham State Engineer

Seymour Case State Engineer