AMENDED

APPLICATION FOR PERMIT **Serial No. 6073**

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of first receipt and filing in State Engineer's office APR 26 1920
Returned to applicant for correction APR 27 1920
Corrected application filed JUN 26 1920

The undersigned Louis A. Yelland (Name of applicant.)
of Aurum, County of White Pine,
State of Nevada, , hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation give date and place of incorporation.)

1. The source of the proposed appropriation is Upper Sulphur Spring (Name of stream, lake, or other source.)

2. The amount of water applied for is 1/20 second-feet. (One second-foot equals 40 miners' inches.)

3. The water to be used for Stock Watering (Irrigation, power, mining, manufacturing, domestic, or other use.)

4. The water is to be diverted from its source at the following point: At the spring, which bears, S. 23°39'10" W. 26041.1 feet distant from a post on the Nevada-Utah State line marked thus, N 11/1111 UGC

(Describe as being within a 40-acre subdivision of public survey, or by course and distance to a section-corner. If on unsurveyed land it should be so stated.)

IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION:

(a) Number of acres to be irrigated is XXXXXX

(b) Description of land to be irrigated XXXXXX (Describe by legal subdivision, or if on unsurveyed land it should be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction.)

(c) Irrigation will begin about XXXXXXX (Month.) and end about XXXXXX (Month.), of each year.

IF WATER IS TO BE USED FOR POWER, MINING, TRANSPORTATION, OR OTHER USE, SUPPLY THE FOLLOWING INFORMATION:

(d) Power to be developed is XXXXX horsepower.

(e) Works to be located at the spring which bears, S. 23°39'10" W. 26041.1 feet distant from a post on the Nevada-Utah State line marked thus, N 11/1111 UGC

(Give 40-acre subdivision on which works will be located, or locate by course and distance to a section-corner.)

(f) Point of return of water to stream not returned, (Describe in same manner as point of diversion.)

(g) Remarks A map will be filed, as soon as a survey can be made Giving a proper description of the corner from which the ties have been taken. Stock will be watered at this spring during the year. Approximately 3000 head of sheep will be watered at this spring during the period between March 15th and October 1st of each year.

DESCRIPTION OF PROPOSED WORKS

Small earth dams immediately below the spring built across the channel to form pools for the stock to drink from.

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If water is to be stored in reservoirs it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions.

5. Estimated cost of works $50.00

6. Estimated time required to construct works already built.

7. Remarks Applicant already owns Permit No. 1638 for the use of this spring during the period from Oct. 1st to March, 15th, and wishes by this application to obtain permission to use the spring during the entire year.

Louis A. Yelland, Applicant.

By Ed. Millard

Compared P.P. Jones,

This sheet inspected

, Engineer.

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to all prior rights on the source, and particularly subject to right granted in certificate No. 110 issued under permit No. 1638. The State reserves the right to regulate the use of the water herein granted at any and all times. It is distinctly understood that the applicant agrees to the terms herein contained.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.018 cubic feet per second.

Actual construction work shall begin on or before August 23 1921

Proof of commencement of work shall be filed before September 23 1921

Work must be prosecuted with reasonable diligence and be completed on or before August 23 1921

Proof of completion of work shall be filed before September 23 1921

Application of water to beneficial use shall be made on or before August 23 1922. Proof of the application of water to beneficial use must be filed with State Engineer on or before September 23 1922

WITNESS MY HAND AND SEAL this 8th day of July, 1921

J. H. Sanigham
State Engineer.

Compared Aug. 1921

Map filed 1/27/21

Proof of beneficial use filed March 1, 1924

Proof of completion of work filed. JUL 29 1921

Proof of labor filed AUG 22 1921

Certificate No. 1040 Issued June 13 1924 for .018 c.f.s.

Recorded Lib. 957 Page 152

White Pine County Records, Miscellaneous Records.