

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of first receipt and filing in State Engineer's office JAN 24 1923
Returned to applicant for correction JAN 27 1923
Corrected application filed

The undersigned W.P. Brooks,
of Round Mountain, County of Nye,
State of Nevada, hereby make application for
permission to appropriate the public waters of the State of Nevada, as
hereinafter stated. (If applicant is a corporation, give date and place
of incorporation.)

- 1. The source of the proposed appropriation is South Twin river
2. The amount of water applied for is 20 second-feet.
3. The water to be used for power
4. The water is to be diverted from its source at the following point:
section 16, T.12 N., R.42 E. unsurveyed. Survey cannot be made until
the snow goes off.

IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION:

- (a) Number of acres to be irrigated is
(b) Description of land to be irrigated
(c) Irrigation will begin about and end about
of each year.

IF WATER IS TO BE USED FOR POWER, MINING, TRANSPORTATION, OR OTHER USE, SUPPLY THE
FOLLOWING INFORMATION:

- (d) Power to be developed is all available horsepower.
(e) Works to be located about 2000 feet below diversion point
(f) Point of return of water to stream 2000 feet below diversion
point
(g) Remarks Actual survey has not been made, and no survey can be
made until the snow goes off, as the ground is most inaccessible
and cannot be made in winter with snow on ground.

DESCRIPTION OF PROPOSED WORKS

Dam at point of diversion and pipe line to works

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If water

is to be stored in reservoirs, it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions.

5. Estimated cost of works \$15,000.00

6. Estimated time required to construct works three years

7. Remarks

For use of applicant

W.P. Brooks, Applicant.

By

Compared P.P. Jones

This sheet inspected, Engineer.

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed cubic feet per second.

Actual construction work shall begin on or before

Proof of commencement of work shall be filed before

Work must be prosecuted with reasonable diligence and be completed on or before

Proof of completion of work shall be filed before

Application of water to beneficial use shall be made on or before

Proof of the application of water to beneficial use must be filed with State Engineer on or before

WITNESS MY HAND AND SEAL this day

Cancelled: MAY 15 1923 because of failure to file corrected application within statutory time:

State Engineer

State Engineer.