APPLICATION FOR PERMIT

Serial No. 7182

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of first receipt and filing in State Engineer's office JUL 29 1924
Returned to applicant for correction
Corrected application filed

The undersigned Joseph M. Ehrlich
Name of applicant

of Arrowhead, County of Nye,

State of Nevada, hereby make~~s~~ application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation.)

1. The source of the proposed appropriation is Warm Spring
Name of stream, lake, or other source

2. The amount of water applied for is .25 second-feet.
One-second-foot equals 40 miners' inches

3. The water to be used for ~~health sanitarium, natatorium & domestic use~~
Irrigation, power, mining, manufacturing, domestic, or other use

4. The water is to be diverted from its source at the following point:

NE¼ SW¼ Sec. 20, T. 4 N., R. 50 E.
Describe as being within a 40-acre subdivision of public survey, or by course and distance to a section-corner. If on unsurveyed land, it should be so stated.

IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION:

(a) Number of acres to be irrigated is

(b) Description of land to be irrigated
Describe by legal subdivision, or if on unsurveyed land it should be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction.

(c) ~~Irrigation~~ Use will begin about January 1st and end about December 31st, of each year.
Month

IF WATER IS TO BE USED FOR POWER, MINING, TRANSPORTATION, OR OTHER USE, SUPPLY THE FOLLOWING INFORMATION:

(d) Power to be developed is horsepower.

(e) Works to be located SE¼ NW¼ Sec. 20, T. 4 N., R. 50 E.
Give 40-acre subdivision on which works will be located, or locate by course and distance to a section-corner.

(f) Point of return of water to stream
Describe in same manner as point of diversion.

(g) Remarks The water sought to be appropriated is from the Warm Spring and for use in sanitarium - bath house, swimming pool and for domestic purposes. The only water that will not be returned to stream is that used in cooking and for other domestic use and will be negligible in amount.

DESCRIPTION OF PROPOSED WORKS

small dam and pipe or flume

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If water is to be stored in reservoirs, it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions.

5. Estimated cost of works $5000.00

6. Estimated time required to construct works 5 years

7. Remarks applicant respects record prior rights at all times

For use of applicant

Joseph M.Ehrlich, Applicant.

By

Compared A L S - M C

This sheet inspected

, Engineer.

PROTESTED SEPTEMBER 10, 1924, BY UNITED CATTLE & PACKING CO.

DENIAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby ~~grant the same, subject to the following limitations and conditions:~~ deny the same in accordance with office letters of February 19, 1926 and April 15, 1926, on the ground that the proposed appropriation of water there under has been abandoned.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed cubic feet per second.

Actual construction work shall begin on or before

Proof of commencement of work shall be filed before

Work must be prosecuted with reasonable diligence and be completed on or before

Proof of completion of work shall be filed before

Application of water to beneficial use shall be made on or before . Proof of the application of water to beneficial use must be filed with State Engineer on or before

WITNESS MY HAND AND SEAL this 25th day of February, 1927

Robert A. Allen

State Engineer.

Compared