

APPLICATION FOR PERMIT

Serial No. 7805

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of first receipt and filing in State Engineer's office JUN 30 1928
Returned to applicant for correction
Corrected application filed

The undersigned Dr. W. H. Brennen
of Eureka, County of White Pine, State of Nevada, hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation.)

- 1. The source of the proposed appropriation is Blair Spring No. 2
2. The amount of water applied for is .4 second-feet.
3. The water to be used for stock watering and domestic purposes.
4. The water is to be diverted from its source at the following point: NE 1/4 of NW 1/4 of Sec. 20, T. 14 N. R. 50 E. M. D. B. & M.

IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION:

- (a) Number of acres to be irrigated is
(b) Description of land to be irrigated

be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction.

- (c) Irrigation will begin about and end about of each year.

IF WATER IS TO BE USED FOR POWER, MINING, TRANSPORTATION, OR OTHER USE, SUPPLY THE FOLLOWING INFORMATION:

- (d) Power to be developed is horsepower.
(e) Works to be located NE 1/4 of NW 1/4 Sec. 20 T. 14 N. R. 50 E. M. D. B. & M.
(f) Point of return of water to stream

(g) Remarks About 1200 head of sheep are to be watered at the above Spring during the period of about nine months out of each year, from March 1st to December 1st.

DESCRIPTION OF PROPOSED WORKS

Water is to be diverted from its source by means of an open cut and a pipe line leading from the Spring to troughs to be placed at a point near said Spring and there used for watering purposes.

5. Estimated cost of works Seven Hundred Fifty and no/100 Dollars

6. Estimated time required to construct works Four months.

7. Remarks

For use of applicant

W. H. Brennen, Applicant.

By E. P. Carville

Compared

*H m T*

Cancelled Jan. 19, 1928 because of failure of applicant to comply with provisions of permit.

This sheet inspected

*Jan 19 1928*  
*W. W. Malone*  
*W. W. R.*

*W. W. Malone* State Engineer.  
Engineer. *W.P.*

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed cubic feet per second.

Actual construction work shall begin on or before

Proof of commencement of work shall be filed before

Work must be prosecuted with reasonable diligence and be completed on or before

Proof of completion of work shall be filed before

Application of water to beneficial use shall be made on or before

Proof of the application of water to beneficial use must be filed with State Engineer on or before

WITNESS MY HAND AND SEAL this \_\_\_\_\_ day of \_\_\_\_\_

State Engineer.