

APPLICATION FOR PERMIT

Serial No. 8526

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of first receipt and filing in State Engineer's office APR 28 1928
Returned to applicant for correction
Corrected application filed

The undersigned Lloyd G. High
of Cortez, County of Lander, State of Nevada, hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation.)

- 1. The source of the proposed appropriation is Point of Rocks Springs at the mouth of Dry Canyon
2. The amount of water applied for is 1 miners inch second-feet.
3. The water to be used for 51 head of cattle Stock Watering
4. The water is to be diverted from its source at the following point: 1286 Ft. N. 76°30'E of 1/4 Cor. of Sec. 9/16 in the SW 1/4 SE 1/4 Sec. 9, T. 23 N; R. 48 E., M.D.B.&M.


IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION:

- (a) Number of acres to be irrigated is
(b) Description of land to be irrigated

- (c) Use will begin about and end about, of each year.

IF WATER IS TO BE USED FOR POWER, MINING, STOCK WATERING, OR OTHER USE, SUPPLY THE FOLLOWING INFORMATION:

- (d) Power to be developed is horsepower.
(e) Works to be located
(f) Point of return of water to stream same subdivision
(g) State number and kinds of animals to be watered
(h) Use will begin about Apr. 1st and end about Nov. 1st, of each year.
(i) Remarks



DESCRIPTION OF PROPOSED WORKS

Dam, Pipes and Troughs.

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If water

is to be stored in reservoirs, it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions.

5. Estimated cost of works \$20

6. Estimated time required to construct works 1 year

7. Remarks There is a small stock watering trough belonging to Fritz Walti 1/8 mile N.E. which is 1 ft. x 1 ft. x 6 ft. A larger trough is needed in that vicinity.

Applicant.

By Lloyd G. High.

Compared C.T. - S.M.B.

This sheet inspected

Engineer.

PROTESTED MAY 31, 1928 by ELMER J. ISAAC, AUSTIN, NEVADA. --

PROTESTED JUNE 9, 1928, by -- FRITZ WALTZ CORTEZ, BUREKA CO., NEVADA. DENIAL OF STATE ENGINEER.

This is to certify that I have examined the foregoing application, and do hereby deny the same, subject to the following limitations and conditions: on the grounds that the approval thereof would impair the value of prior existing rights.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed cubic feet per second.

Actual construction work shall begin on or before

Proof of commencement of work shall be filed before

Work must be prosecuted with reasonable diligence and be completed on or before

Proof of completion of work shall be filed before

Application of water to beneficial use shall be made on or before

Proof of the application of water to beneficial use must be filed with State Engineer on or before

Map filed April 18, 1928

WITNESS MY HAND AND SEAL this 5th day of Decemeber 1935

ALFRED MERRITT SMITH State Engineer.

BY: Assistant State Engineer