APPLICATION FOR PERMIT

Serial No. 9818

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of first receipt and filing in State Engineer's office NOV 23 1934
Returned to applicant for correction
Corrected application filed

The undersigned Raymond A. West
Name of applicant
of Glendale, Nevada, via Moapa, Nevada County of Clark,
State of Nevada, hereby make s application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation.)

1. The source of the proposed appropriation is Saw Mill Spring in
Name of stream, lake, or other source
Saw Mill Canyon in unsurveyed Twp. 14 S., R. 61 E., M.D.M., on Sheep Range of Mountains.

2. The amount of water applied for is 1/40 second-feet.
One-second-foot equals 40 miners' inches

3. The water to be used for Stock Raising and Domestic Use
Irrigation, power, mining, manufacturing, domestic, or other use

4. The water is to be diverted from its source at the following point:
In Unsurveyed Twp. 14 S., R. 61 E., M.D.M. in Saw Mill Canyon,
Describe as being within a 40-acre subdivision of public survey, or by course and distance to a section corner. If on unsurveyed land, it should be so stated.
whence Sheep Peak shown on U. S. Geol., Las Vegas Quadrangle bears S. 29° 15' W. 10 miles.

IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION:

(a) Number of acres to be irrigated is

(b) Description of land to be irrigated
Describe by legal subdivision, or if on unsurveyed land it should be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction.

(c) Use will begin about Jan. (Month) and end about Dec. (Month), of each year.

IF WATER IS TO BE USED FOR POWER, MINING, STOCK WATERING, OR OTHER USE, SUPPLY THE FOLLOWING INFORMATION:

(d) Power to be developed is horsepower.

(e) Works to be located
Give 40-acre subdivision on which works will be located, or locate by course and distance to a section-corner.

(f) Point of return of water to stream
Describe in same manner as point of diversion.

(g) State number and kinds of animals to be watered 50 head of cattle

(h) Use will begin about Jan. (Month) and end about Dec. (Month), of each year.

(i) Remarks: Application is being made by applicant for survey of Twp. 14 S., R. 61 E., M.D.M., so that applicant may file a stock watering Homestead. From correspondence indications are that Subdivisional Survey of said Twp. 14 S., R. 61 E., M.D.M. will be promptly made. Saw Mill Spring is shown on U. S. Geological Las Vegas Quadrangle map.

DESCRIPTION OF PROPOSED WORKS

Water arises at spring in solid rock except for crack which allows
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If water
water to enter natural rock tank, about ten feet of rock excavation
is to be stored in reservoirs, it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions.
will be made to insert 20 feet length of 3/4 inch iron pipe to convey water to 2' wide x 12" depth x 6 ft. long trough.

5. Estimated cost of works about $75.00

6. Estimated time required to construct works 6 months

7. Remarks Trough and pipe will be installed as soon as permit is granted
For use of applicant
and as spring is at 7500 feet sea level elevation, snow may delay the installation.

Raymond A. West, Applicant. J. T. McWilliams (Signed)

By J. T. McWilliams
State Water Right Surveyor

Compared A.S.-C.T.

This sheet inspected

, Engineer.

Protested February 20, 1935 by Joe F. Perkins.

DENIAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby ~~grant~~ deny the same, ~~subject to the following limitations and conditions:~~ on the ground that the approval thereof would be contrary to the provisions of the Nevada Stockwatering Act.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed cubic feet per second.

Actual construction work shall begin on or before

Proof of commencement of work shall be filed before

Work must be prosecuted with reasonable diligence and be completed on or before

Proof of completion of work shall be filed before

Application of water to beneficial use shall be made on or before . Proof of the application of water to beneficial use must be filed with State Engineer on or before

Map Filed Dec. 22, 1934.

WITNESS MY HAND AND SEAL this 23rd day of September, 1935.

ALFRED MERRITT SMITH
State Engineer.

BY: H. W. Keppel
ASSISTANT STATE ENGINEER