ORIGINAL

APPLICATION FOR PERMIT

Serial No. 9960

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of first receipt and filing in State Engineer's office MAR -6 1936
Returned to applicant for correction AUG 19 1936
Corrected application filed OCT 15 1936

The undersigned Division of Grazing, Department of Interior, U.S.A. (Name of applicant) of P. O. Box 649 Reno, County of Washoe, State of Nevada, hereby makes application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation.)

1. The source of the proposed appropriation is Harry Canyon Spring (Name of stream, lake, or other source)

2. The amount of water applied for is one-half (½) second-feet. (One-second-foot equals 40 miners' inches)

3. The water to be used for stock watering (Irrigation, power, mining, manufacturing, domestic, or other use)

4. The water is to be diverted from its source at the following point:
SW¼ of NW¼ of Sec. 20, T. 28 N., R. 45 E.
(Describe as being within a 40-acre subdivision of public survey, or by course and distance to a section corner. If on unsurveyed land, it should be so stated.)

IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION:

(a) Number of acres to be irrigated is

(b) Description of land to be irrigated (Describe by legal subdivision, or if on unsurveyed land it should be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction.)

(c) Use will begin about _____ (Month) and end about _____ (Month), of each year.

IF WATER IS TO BE USED FOR POWER, MINING, STOCK WATERING, OR OTHER USE, SUPPLY THE FOLLOWING INFORMATION:

(d) Power to be developed is _____ horsepower.

(e) Works to be located SW¼ of NW¼ of Sec. 20, T. 28 N., R. 45 E.
(Give 40-acre subdivision on which works will be located, or locate by course and distance to a section-corner.)

(f) Point of return of water to stream Not returned
(Describe in same manner as point of diversion.)

(g) State number and kinds of animals to be watered 2,000 cattle; 20,000 sheep.

(h) Use will begin about Jan. 1 (Month) and end about Dec. 31 (Month), of each year.

(i) Remarks

DESCRIPTION OF PROPOSED WORKS

Bed of wash for 300' above spring heavily rocked to prevent erosion. Water

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If water is to be stored in reservoirs, it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions.

led form spring through 260' of pipe line to cattle & sheep troughs. Spring rises from an underground stream being raised to the surface by means of a submerged concrete dam. The bed of the wash is completely fenced in for 150' above the spring.

5. Estimated cost of works $1,000.00

6. Estimated time required to construct works Now constructed

7. Remarks Applicant is developing water in the public interest and the

For use of applicant

water will be available for public stock watering under proper regulations.

Division of Grazing, ECW
Department of the Interior, U.S.A. Applicant.

By John C. Fales, Engr.

Compared

Withdrawn by applicant NOV 19 1936

This sheet inspected

Alfred Merritt Smith State Engineer
By CEL

, Engineer

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed

cubic feet per second.

Actual construction work shall begin on or before

Proof of commencement of work shall be filed before

Work must be prosecuted with reasonable diligence and be completed on or before

Proof of completion of work shall be filed before

Application of water to beneficial use shall be made on or before

. Proof of the application of water to beneficial use must be filed with State Engineer on or before

WITNESS MY HAND AND SEAL this day

of ,

State Engineer.