AMENDED

APPLICATION FOR PERMIT Serial No. 10724

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of first receipt and filing in State Engineer's office SEP 6 1941
Returned to applicant for correction SEP 29 1941
Corrected application filed OCT 4 1941

The undersigned Joe Gruden (Name of applicant)

of Baker, County of White Pine,

State of Nevada, hereby makes application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation.)

1. The source of the proposed appropriation is Snake Creek (Name of stream, lake, or other source)

2. The amount of water applied for is two and one-half second-feet. (One second-foot equals 40 miners' inches)

3. The water to be used for power and domestic (Irrigation, power, mining, manufacturing, domestic, or other use)

4. The water is to be diverted from its source at the following point: S 88° 40' W. 8,510 ft. from the NE corner Section 13 T 12 N, R 69 E, (Describe as being within a 40-acre subdivision of public survey, or by course and distance to a section corner. If on unsurveyed land, it should be so stated.) MDBM; same being NE¼ NW¼ Section 14, T. 12 N, R. 69 E, MDBM; diverted by headgate and conveyed by open ditch and wooden flume; ditch 18" x 24"

IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION:

(a) Number of acres to be irrigated is

(b) Description of land to be irrigated (Describe by legal subdivision, or if on unsurveyed land it should be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction.)

(c) Use will begin about _____ (Month) and end about _____ (Month), of each year.

IF WATER IS TO BE USED FOR POWER, MINING, STOCK WATERING, OR OTHER USE, SUPPLY THE FOLLOWING INFORMATION:

(d) Power to be developed is 26 horsepower.

(e) Works to be located NE¼ NE¼ Sec. 14, T. 12 N., R. 69 E., M.D.B.&M. (Give 40-acre subdivision on which works will be located, or locate by course and distance to a section-corner.)

(f) Point of return of water to stream S79° W. 6,170 ft. from the N.E. (Describe in same manner as point of diversion.) corner Sec. 13, T. 12 N., R. 69 E., M.D.M.

(g) State number and kinds of animals to be watered

(h) Use will begin about Jan. 1st (Month) and end about Dec. 31st (Month), of each year.

(i) Remarks

DESCRIPTION OF PROPOSED WORKS

Headgate installed in Snake Creek, point of diversion, water to be conveyed

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If water

by approximately by 3,000 ft. of ditch approximately 18"x24", by approx-

is to be stored in reservoirs, it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions.

imately 150' of 18"x24" wooden flume, 120 ft. of 8" reduced to 2" pipe for power plant, Pelton wheel, plus excavation of approximately 150 ft. of return drain ditch 5 to 25 ft. deep plus 350 ft. of 2" pipe to mill from Pelton wheel.

5. Estimated cost of works $1200

6. Estimated time required to construct works 90 days

7. Remarks Will begin construction as soon as permissable.

For use of applicant

Joe Gruden, Applicant.

By Ralph Morgali.

Compared RMG-CT.

This sheet inspected

, Engineer.

Protested Dec. 22, 1941 by G. W. Gonder & Dearden Brothers.

DENIAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby ~~grant~~ deny the same, ~~subject to the following limitations and conditions:~~ on the grounds that applicant is deceased, and efforts to contact heirs has failed.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed

cubic feet per second.

Actual construction work shall begin on or before

Proof of commencement of work shall be filed before

Work must be prosecuted with reasonable diligence and be completed on or before

Proof of completion of work shall be filed before

Application of water to beneficial use shall be made on or before

. Proof of the application of water to beneficial use must be filed with State Engineer on or before

Map Filed SEP 15 1941

WITNESS MY HAND AND SEAL this 23rd day of July, 1951.

State Engineer.