

APPLICATION FOR PERMIT

Serial No. 14876

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of first receipt and filing in State Engineer's office Feb 27 1953  
 Returned to applicant for correction \_\_\_\_\_  
 Corrected application filed \_\_\_\_\_

The undersigned STATE OF NEVADA through its Department of Ormsby  
Grounds Name of applicant  
of Buildings and Carson City, \_\_\_\_\_, County of Ormsby \_\_\_\_\_,

State of Nevada \_\_\_\_\_, hereby make s application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation.) \_\_\_\_\_

1. The source of the proposed appropriation is underground  
Name of stream, lake, or other source  
(Orphan's Home Well under Certificate No. 3623)

2. The amount of water applied for is 1.0 second-feet.  
One second-foot equals 40 miners' inches

3. The water to be used for Municipal and Domestic  
Irrigation, power, mining, manufacturing, domestic, or other use

4. The water is to be diverted from its source at the following point:  
NE 1/4 SW 1/4 of Section 17, T. 15 N., R. 20 E., M.D.B.&M., or at a point  
Describe as being within a 40-acre subdivision of public survey, or by course and distance to a section corner. If on unsurveyed land, it should be so stated.  
from which the southwest corner of said Section 17 bears S. 52°47'  
20" W. a distance of 2261.00 feet.

IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION:

(a) Number of acres to be irrigated is \_\_\_\_\_

(b) Description of land to be irrigated \_\_\_\_\_  
Describe by legal subdivision, or if on unsurveyed land it should

be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction.

(c) Use will begin about \_\_\_\_\_ and end about \_\_\_\_\_, of each year.  
Month Month

IF WATER IS TO BE USED FOR POWER, MINING, STOCK WATERING, OR OTHER USE, SUPPLY THE FOLLOWING INFORMATION

(d) Power to be developed is \_\_\_\_\_ horsepower.

(e) Place of use all State Buildings in Sections 16, 17 and 18, T 15N.,  
R. 20 E., M.D.B. & M. See Give location of place of use by legal subdivision remarks.

(f) Point of return of water to stream \_\_\_\_\_  
Describe in same manner as point of diversion

(g) State number and kinds of animals to be watered \_\_\_\_\_

(h) Use will begin about January and end about December 31 of each year.  
Month Month

(i) Remarks The State Well under Certificate No. 3623 will be connected  
for emergency purposes, to the present State Water System which serves  
the State Prison, Orphan's Home, Highway Department Building, National  
Guard Office, Printing Office, Capitol Building, Supreme Court Building  
State Heroes' Memorial Building and the Governor's Mansion.

DESCRIPTION OF PROPOSED WORKS

The Well, authorized under Certificate No. 3623, is the present Orphan's

Home Well. Water is developed by means of a drilled well 608 feet deep

and cased with 374 feet of 10" casing: 140 feet of 12" casing and 80 feet of 18" casing. It is equipped with a vertical type 40 H.P. pump with a rated capacity of 2,000 gal. per minute or 4.456 C.F.S.

5. Estimated cost of works \$100.00 to connect.

6. Estimated time required to construct works now connected.

7. Remarks

For use of applicant

STATE OF NEVADA, Department of Buildings and Grounds, Applicant.

By /s/ C. F. Cooney C. F. Cooney, Superintendent

Compared A.P.I.R.

This sheet inspected

, Engineer.

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application,

and do hereby grant the same, subject to the following limitations and

conditions: source and is limited to what the well will produce but not to exceed 1.0 c.f.s. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level at per- mittees well due to other ground water development in the area. A substantial weir or other type of measuring device must be installed and measurements of water use kept, and a method provided, either air line or opening, for measuring depths to water. The State retains the right to regulate the use of the water herein granted at any and all times. The amount of water to be appropriated shall be limited to the amount

which can be applied to beneficial use, and not to exceed 1.0 cubic feet per second.

Actual construction work shall begin on or before December 24, 1953

Proof of commencement of work shall be filed before January 24, 1954

Work must be prosecuted with reasonable diligence and be completed on or before December 24, 1954

Proof of completion of work shall be filed before January 24, 1955

Application of water to beneficial use shall be made on or before December 24, 1955

Proof of the application of water to beneficial use must be filed with State Engineer on or before January 24, 1956

Map Filed JAN 23 1953

Proof of commencement of work filed NOV 27 1953 WITNESS MY HAND AND SEAL this 24th day

Proof of Completion of work filed FEB 3 1955 of June, 1953

PROOF OF BENEFICIAL USE FILED DEC 6 1955

Certificate No. 4277 issued July 10 1956 for 1.0

Recorded Feb 26 1956 Page 47

HUGH A. SHAMBERGER State Engineer.

By

Edmund Muth Asst. State Engineer

Ormsby County Records

Handwritten note on right margin