

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Serial No. 15428

Date of first receipt and filing in State Engineer's office DEC 4 1953
Returned to applicant for correction
Corrected application filed

The undersigned Eldra E. Morris
of Route 7, Box 3438 Sacramento, County of Sacramento, State of California, hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

- 1. The source of the proposed appropriation is Underground
2. The amount of water applied for is 5.0 second-feet.
3. The water to be used for Irrigation - Domestic
4. The water is to be diverted from its source at the following point: NW 1/4 NW 1/4 Sec. 9 T. 38 N. R. 32 E. M.D.B.&M.

IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION:

- (a) Number of acres to be irrigated is 320
(b) Description of land to be irrigated W 1/2 said Sec. 9

- (c) Use will begin about Jan. 1st and end about Dec. 31st of each year.

IF WATER IS TO BE USED FOR POWER, MINING, STOCK WATERING, OR OTHER USE, SUPPLY THE FOLLOWING INFORMATION

- (d) Power to be developed is horsepower.
(e) Place of use
(f) Point of return of water to stream
(g) State number and kinds of animals to be watered
(h) Use will begin about and end about of each year.
(i) Remarks

DESCRIPTION OF PROPOSED WORKS

Well, Pump & Ditches

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If water

is to be stored in reservoirs, it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions.

5. Estimated cost of works \$1200.00

6. Estimated time required to construct works 4 years

7. Remarks D.L.A.

For use of applicant

, Applicant.

By s/ Eldra E. Morris

Compared _____

This sheet inspected _____

, Engineer.

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed _____ cubic feet per second.

Actual construction work shall begin on or before _____

Proof of commencement of work shall be filed before _____

Work must be prosecuted with reasonable diligence and be completed on or before _____

Proof of completion of work shall be filed before _____

Application of water to beneficial use shall be made on or before _____

Proof of the application of water to beneficial use must be filed with State Engineer on or before _____

WITNESS MY HAND AND SEAL this _____ day

Withdrawn by applicant

FEB 17 1954

Edmund Muth, asst. State Engineer