

THE STATE OF NEVADA

APPLICATION TO APPROPRIATE WATER


Name of applicant: ELDRIDGE, DELBERT D.
Source: OTHER SURFACE WATER
Basin: SPRING VALLEY
Manner of Use: IRRIGATION-DLE
Period of Use: January 1st to December 1st
Priority Date: 03/11/1957

DENIAL OF STATE ENGINEER

This application is hereby denied on the grounds that there is no unappropriated water at the proposed source and that its approval would conflict with existing rights and would threaten to prove detrimental to the public interest.

IN TESTIMONY WHEREOF, I, TRACY TAYLOR, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 4th day of February, A.D. 2009



P.E. State Engineer

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Serial N^o 17207

Date of first receipt and filing in State Engineer's office MAR 21 1957
Returned to applicant for correction _____
Corrected application filed _____

The undersigned Delbert D. Eldridge
Name of applicant
of Spring Valley Route Ely, County of White Pine,
State of Nevada, hereby makes application for
permission to appropriate the public waters of the State of Nevada, as
hereinafter stated. (If applicant is a corporation, give date and place
of incorporation.) _____

1. The source of the proposed appropriation is Kalamazoo Creek-(High
Name of stream, lake or other source
Water & Flood Water)

2. The amount of water ~~applied for~~ to be stored is 42 ac. ft. second-feet.
One second-foot equals 40 miners' inches

3. The water to be used for Irrigation
Irrigation, power, mining, manufacturing, domestic, or other use

4. The water is to be diverted from its source at the following point:
in the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 23, T. 20 N., R. 66 E., M.D.B.&M. or at a point
Describe as being within a 40-acre subdivision of public survey, or by course and distance to a section corner. If on unsurveyed land, it should be so stated.
from which the NW Cor. Sec. 24, T. 20 N., R. 66 E., M.D.B.&M., bears
N. 57°00' E., 9370 Ft. distant.

IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION:

- (a) Number of acres to be irrigated is 320 acres
- (b) Description of land to be irrigated SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 13; E $\frac{1}{2}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$
Describe by legal subdivision, or if on unsurveyed land it should
Sec. 24; T. 20 N., R. 66 E., M.D.B.&M. and Lot 1 (NW $\frac{1}{4}$ NW $\frac{1}{4}$), Lot 2
be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction.
(SW $\frac{1}{4}$ NW $\frac{1}{4}$), Lot 3 (NW $\frac{1}{4}$ SW $\frac{1}{4}$), NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 19, T. 20 N., R. 67 E.,
M.D.B.&M.

(c) Use will begin about Jan. 1st and end about Dec. 1st, of each year.
Month Month

IF WATER IS TO BE USED FOR POWER, MINING, STOCK WATERING, OR OTHER USE, SUPPLY THE
FOLLOWING INFORMATION:

- (d) Power to be developed is _____ horsepower.
- (e) Place of use _____
Give location of place of use by legal subdivision
- (f) Point of return of water to stream _____
Describe in same manner as point of diversion
- (g) State number and kinds of animals to be watered _____
- (h) Use will begin about _____ and end about _____, of each year.
Month Month
- (i) Remarks _____

DESCRIPTION OF PROPOSED WORKS

A proposed Earth and stone dam 4 ft. high and 30 ft. long to divert the water into a proposed ditch 6' wd. and 3 ft. deep, approximately 3600 ft. long. Water will be stored in the reservoir as shown on the map in support of this application.

- 5. Estimated cost of works \$1500.00
6. Estimated time required to construct works 3 years
7. Remarks

For use of applicant

s/ Delbert D. Eldridge, Applicant.

By

Compared AS/B.B

This sheet inspected

protested May 22, 1957 by Burton H. Robison, Engineer.

DENIAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, deny and do hereby grant the same, subject to the following limitations and conditions:

This Application is hereby denied on the grounds that the applicant and protestant have not responded to a request for additional information and therefore the granting of said application would not be in the public interest.

Denial vacated by Order issued by 7th Dist. Court 3-11-1992

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed cubic feet per second.

Actual construction work shall begin on or before

Proof of commencement of work shall be filed before

Work must be prosecuted with reasonable diligence and be completed on or before

Proof of completion of work shall be filed before

Application of water to beneficial use shall be made on or before

Proof of the application of water to beneficial use must be filed with State Engineer on or before

Mar 11, 1957 under 7205

WITNESS MY HAND AND SEAL this 6th day

of January 1992

R. Michael Turnipseed, P.E. State Engineer.