

AMENDED

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... JAN 16 1961Returned to applicant for correction..... FEB 10 1961Corrected application filed..... FEB 20 1961Map filed..... JAN 16 1961

The applicant..... Calney Pipe Line Company 326 National Bank of Tulsa Building, Tulsa 3, Oklahoma
of Las Vegas....., County of Clark
State of Nevada....., hereby make... application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)..... Incorporated in the State of Delaware, August 6, 1959.

1. The source of the proposed appropriation is..... Underground source
Name of stream, lake or other source.

2. The amount of water applied for is..... 0.1114 (50 gpm).....second-feet.
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet..... acre-feet.

3. The water to be used for..... Commercial (Warehouse and Office) and Domestic
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated).....

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 11. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point:..... In the property containing 39.4 acres of the NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 33, T. 19 S., R. 62 E., M.D.B.&M., at a point from which the East quarter corner of Section 33, T. 19 S.,
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
R. 62 E. bears N. 23° 08' 16" E., a distance of 1106.51 feet.
it should be stated.

6. Place of use..... Will be in that certain parcel of land situated in the
Describe by legal subdivision, if on unsurveyed land it should be so stated.
County of Clark, State of Nevada, being the Northeast Quarter (NE $\frac{1}{4}$) of
the Southeast Quarter (SE $\frac{1}{4}$) of Section 33, Township 19 South, Range
62 East, M.D.B.&M., containing 39.4 acres, more or less.

7. Use will begin about..... January 1st.....and end about..... December 31st....., of each year.
Month Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.)..... The proposed works will consist of a well approximately Ten (10) inches in diameter, a submersible
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.
pump, a pressure surge tank, and piping to supply water to various
locations on the property.

9. Estimated cost of works.....\$2500.00.....
 10. Estimated time required to construct works.....Two Weeks.....
 11. Remarks.....The water is to be used entirely on the pipeline terminal site. The well shall supply water for one (1) office building located on the terminal site.....

Applicant.....Calnev Pipe Line Company.....

By.....s/ J. E. Harshman.....
 Executive Vice President

Compared.....hs/lb.....hs/nf.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation when water is available from the Las Vegas Valley Water District, and is limited to what the well will produce but not to exceed 0.01 c.f.s. A meter must be installed in the discharge pipe line, near the point of diversion, and accurate measurements must be kept of water placed to beneficial use. It is understood that this right must allow for a reasonable lowering of the static water level. This source is located within an area designated by the State Engineer pursuant to NRS 534.030; therefore, the State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.01 cubic feet per second.

Actual construction work shall begin on or before.....December 29, 1961.....
 Proof of commencement of work shall be filed before.....January 29, 1962.....
 Work must be prosecuted with reasonable diligence and be completed on or before.....December 29, 1962.....
 Proof of completion of work shall be filed before.....January 29, 1963.....
 Application of water to beneficial use shall be made on or before.....December 29, 1963.....
 Proof of the application of water to beneficial use shall be filed on or before.....January 29, 1964.....
 Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed JUN 4 1962
 Completion of work filed JUL 11 1962
 Proof of beneficial use filed DIA. 9. 1963
 Cultural map filed
 Certificate No. 7852 Issued 7-19-72
 Recorded 7-24-72 B. 249 Page 208/26

WITNESS MY HAND AND SEAL this 29th day of June, 1961

REVOKED
 State Engineer.

ORDER NO BY LETTER

DATE 11-15-04