

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office JUL 13 1962

Returned to applicant for correction MAR 13 1963

Corrected application filed

Map filed

The applicant Mrs. Geraldine Myers of Portland, County of Multnomah, State of Oregon

hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is underground. Name of stream, lake or other source.

2. The amount of water applied for is 5.6 second-feet. One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet acre-feet

3. The water to be used for irrigation. Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated) 320 ac.

(b) Stockwater (state number and kinds of animals to be watered)

(c) Other use (describe fully under "No. 11. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: NE 1/4, NE 1/4, Sec 3, T 43 N

R 31 E MDM

Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,

it should be stated.

6. Place of use N 1/2 Sec 3, T 43 N, R 31 E, MDM. Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about March and end about Oct, of each year. Month Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Pipe & Ditch

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works 12,000

10. Estimated time required to construct works 1 yr.

11. Remarks

Applicant s/ Geraldine W. Myers
3910 N E 29th St.
Portland, Oregon

By

Compared

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed _____ cubic feet per second

Actual construction work shall begin on or before _____

Proof of commencement of work shall be filed before _____

Work must be prosecuted with reasonable diligence and be completed on or before _____

Proof of completion of work shall be filed before _____

Application of water to beneficial use shall be made on or before _____

Proof of the application of water to beneficial use shall be filed on or before _____

Map in support of proof of beneficial use shall be filed on or before _____

Commencement of work filed _____

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

Recorded _____ Bk. _____ Page _____

WITNESS MY HAND AND SEAL this _____ day

of _____

State Engineer.

CANCELLED JUL 1 1963 BECAUSE OF FAILURE TO FILE SUPPORTING MAP

County Recorder

STATE ENGINEER ds