

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office OCT 19 1964

Returned to applicant for correction

Corrected application filed

Map filed OCT 19 1964

The applicant VAGO, INC. of Las Vegas, County of Clark

State of Nevada, hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) April 15, 1963. Las Vegas, Nevada.

1. The source of the proposed appropriation is Las Vegas Artesian Basin. Name of stream, lake or other source.

2. The amount of water applied for is 0.20 second-foot. One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet acre-feet

3. The water to be used for Quasi-Municipal, subdivision and domestic use. Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated)

(b) Stockwater (state number and kinds of animals to be watered)

(c) Other use (describe fully under "No. 11. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: W 1/2 NW 1/4 SE 1/4 Section 31, Township 19 South, Range 61 East, MDB&M. or at a point from which the South-west corner of said Section 31 bears South 51° 09' 35" West a distance of 4028.69'. Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be stated.

6. Place of use The W 1/2 NW 1/4 SE 1/4 of Section 31, Township 19 South, Range 61 East, MDB&M. Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about January 1 and end about December 31, of each year. Month Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drilled well, 8" casing with miscellaneous size pipes to points of use. State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works..... \$10,000.00

10. Estimated time required to construct works..... 90 days

11. Remarks..... This water is to be used for a proposed subdivision consisting of approximately 45 lots. The minimum lot size will be one-half acre. This to be a ranch estate type of development and each owner will have an interest in the well. This will be a non-profit water system with no charge being made for the use of the water.

Applicant..... VACO, INC.

By..... s/Bennett James Vasey
Bennett James Vasey
State Water Right Surveyor

Compared..... awb/hs hs/ns

APPROVAL..... OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water and is limited to what the well will produce but not to exceed 0.20 c.f.s. A meter must be installed in the discharge pipe line, near the point of diversion, and accurate measurements must be kept of water placed to beneficial use. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening and an air line for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030; therefore, the State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed..... 0.20..... cubic feet per second, the total quantity of water appropriated under Permits 22293 and 22294 shall not exceed 16.5 mg annually.

Actual construction work shall begin on or before..... September 26, 1965

Proof of commencement of work shall be filed before..... October 26, 1965

Work must be prosecuted with reasonable diligence and be completed on or before..... September 26, 1966

Proof of completion of work shall be filed before..... October 26, 1966

Application of water to beneficial use shall be made on or before..... September 26, 1967

Proof of the application of water to beneficial use shall be filed on or before..... October 26, 1967

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed..... Nov. 29, 1966

Completion of work filed.....

Proof of beneficial use filed.....

Cultural map filed.....

WITNESS MY HAND AND SEAL this 26th day of March, 1965

Certificate No..... NOV 27 1967

Recorded..... ENCLOSED

Page..... BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

GEORGE W. HENNEN
State Engineer

Dolan D. Westergaard
STATE ENGINEER

By *Dolan D. Westergaard*
Assistant State Engineer