

**APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

SEP 4 1969

Date of filing in State Engineer's Office.....

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... SEP 4 1969

The applicant..... Memory Gardens of Las Vegas Inc.
320 E. Charleston Blvd.
of Las Vegas....., County of Clark.....

State of Nevada....., hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) Incorporated in Arizona, qualified to do business in Nevada on June 4, 1952

1. The source of the proposed appropriation is Underground source, Las Vegas Artesian Basin, Clark County, Nevada
Name of stream, lake or other source.

2. The amount of water applied for is 1.50.....second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....acre-feet

3. The water to be used for Landscaping (cemetery) and domestic use.
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated) 90 acres of landscaping

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 11. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: Within the NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ (Lot 3) of Section 3, Township 20 South, Range 60 East, M.D.M., at
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be stated. a point from which the North $\frac{1}{4}$ corner of said Sec. 3 bears N. 1 $^{\circ}$ 19' 32" E. a distance of 300.00 ft.

6. Place of use..... the E $\frac{1}{2}$ of Government Lot III; the E $\frac{1}{2}$ of the SE $\frac{1}{4}$ of the NW $\frac{1}{4}$; the NW $\frac{1}{4}$ of the NE $\frac{1}{4}$ (Government Lot II); and the N $\frac{1}{2}$ of the N $\frac{1}{2}$ of the SW $\frac{1}{4}$ of the NE $\frac{1}{4}$ - all in Section 3, Township 20 South, Range 60 East, M.D.B. & M.
Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about January 1st..... and end about December 31st....., of each year.
Month Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Well, pump, casing, pressure tank, approximately two miles of supply pipe.

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works \$10,000.00
 10. Estimated time required to construct works two years
 11. Remarks This application is submitted for the purpose of supplementing water from the well drilled under application and Permit Nos. 14481 and 23979.

Applicant Memory Gardens of Las Vegas, Inc.

By s/ Vincent J. Fiore

Compared jw/jls jls/dn

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A meter must be installed in the discharge pipe line, near the point of diversion, and accurate measurements must be kept of water placed to beneficial use. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030; therefore, the State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 1.5 cubic feet per second, but not to exceed 146.6 MG annually from all sources and under all rights.

Actual construction work shall begin on or before August 5, 1970
 Proof of commencement of work shall be filed before September 5, 1970
 Work must be prosecuted with reasonable diligence and be completed on or before August 5, 1971
 Proof of completion of work shall be filed before September 5, 1971
 Application of water to beneficial use shall be made on or before August 5, 1973
 Proof of the application of water to beneficial use shall be filed on or before September 5, 1973
 Map in support of proof of beneficial use shall be filed on or before September 5, 1973

Commencement of work filed.....
 Completion of work filed.....
 Proof of beneficial use filed.....
 Cultural map filed.....
 Certificate No. Issued.....
 Recorded..... Bk..... Page.....
 County Recorder

IN TESTIMONY WHEREOF, I Roland D. Westergard
 State Engineer of Nevada, have hereunto set my hand and the seal of
 my office, this 5th day of February

A.D. 19 70

Roland D. Westergard
 CANCELLED OCT 7 1978 BECAUSE OF FAILURE
 OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT
Roland D. Westergard
 STATE ENGINEER