

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office APR 17 1970

Returned to applicant for correction MAY 8 1970

Corrected application filed JUL 8 1970

Map filed _____

The applicant Topaz Mutual Co., Inc.
4040 Mayberry Drive
of Reno, _____, County of Washoe

State of Nevada, 89502, hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

Dec. 18, 1968, Carson City, Nevada

1. The source of the proposed appropriation is underground
Name of stream, lake or other source.

2. The amount of water applied for is _____ second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet _____ acre-feet

3. The water to be used for Quasi-municipal (subdivision) and domestic
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated) _____

(b) Stockwater (state number and kinds of animals to be watered) _____

(c) Other use (describe fully under "No. 11. Remarks") See Remarks

(d) Power:

(1) Horsepower developed _____

(2) Point of return of water to stream _____

5. The water is to be diverted from its source at the following point: NW $\frac{1}{4}$ Sec. 9, T.10N., R.22E.,

M.D.B. & M.

Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,

it should be stated.

6. Place of use N $\frac{1}{2}$ and SE $\frac{1}{4}$ Sec. 9, T.10N., R.22E., M.D.B. & M.
Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about January 1 and end about December 31, of each year.
Month Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Well, pump, storage tank, and
distribution system.
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

- 9. Estimated cost of works \$6,000.00
- 10. Estimated time required to construct works 1 yr.
- 11. Estimated time required to complete the application to beneficial use 3 yr.
- 12. Remarks Water will be used in subdivision 139 single family dwellings.

Applicant Topaz Mutual Co., Inc.

By s/ John Arden
4040 Mayberry Drive
Reno, Nevada 89502

Compared jw/sb

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed cubic feet per second.

Actual construction work shall begin on or before

Proof of commencement of work shall be filed before

Work must be prosecuted with reasonable diligence and be completed on or before

Proof of completion of work shall be filed before

Application of water to beneficial use shall be made on or before

Proof of the application of water to beneficial use shall be filed on or before

Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed.....	IN TESTIMONY WHEREOF, I.....
Completion of work filed.....	State Engineer of Nevada, have hereunto set my hand and the seal of
Proof of beneficial use filed.....	my office, this..... day of.....
Cultural map filed.....	
Certificate No..... Issued.....	A.D. 19.....
Recorded..... Bk..... Page.....	

CANCELLED JUL 23 1970 County Recorder
218 (Rev. 1-70) CAUSE OF FAILURE TO REFILE
CORRECTED APPLICATION WITHIN STATUTORY TIME.
STATE ENGINEER

State Engineer