

APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office. AUG 17 1970

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... JUL 20 1970

The applicant Incline Village General Improvement District,  
P. O. Box 78  
of Incline Village....., County of.....

State of Nevada 89450....., hereby make S application for permission to appropriate the public

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) A municipal organization

authorized by Chapter 318, NRS. Organized June 6, 1961. Washoe  
County, Nevada

1. The source of the proposed appropriation is effluent from Incline Village waste  
Name of stream, lake or other source.  
water treatment plant.

2. The amount of water applied for is 6.0 MGD or 9.28 cfs.....second-foot  
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet 64 ac. ft. 20.8 mg.....acre-feet

3. The water to be used for storage (use determined by secondary permits).....  
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated).....

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 11. Remarks") Storage of effluent.

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: Commencing at the Southeast  
corner of Section 23, T.16N., R. 18E., M.D.M., Washoe Co., Nevada; said  
corner being a found 2" x 2" stake in rock mound, marked section corner.

Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,  
No bearing trees existed. From said section corner, N. 25 14' 39" W.,  
3442.13 feet to the point of diversion in the Southwest quarter the NE 1/4

of said Section 23 it should be stated. Bases of bearing is Nevada State Plane Coordinate System,

6. Place of use to be determined by secondary permits......  
Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about January 1..... and end about December 31....., of each year.  
Month Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans  
and specifications of your diversion or storage works.) A waste water treatment plant,  
storage reservoirs, pump station and export pipe line.

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

- 9. Estimated cost of works at least \$4,500,000
- 10. Estimated time required to construct works 5 years
- 11. Estimated time required to complete the application to beneficial use 5 years
- 12. Remarks This application is made to acquire primary rights to sewage effluents from the Incline Village treatment plant and export pipeline. The manner of use will be determined by the secondary applications and permits.

Applicant INCLINE VILLAGE GENERAL IMPROVEMENT DISTRICT

By s/ W. W. White  
P. O. Box 78 Incline Village, Nevada  
89450

Compared md/jw

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This primary permit is issued under the authority of NRS 533.440 (Secondary Applications are required for the use of the appropriated effluent) and is only a temporary allowance and the quantity granted may exceed the effluent discharged. The final water right obtained will be dependent upon the amount of effluent actually placed to beneficial use under the secondary permits. A totalizing meter must be installed at the discharge near the point of diversion and accurate measurements must be kept of effluent discharged. Granting of this permit is not intended in any way to waive or affect authority or requirements of appropriate water quality control agencies or regulations. This permit is further issued subject to the provisions of NRS 533.395 and the State retains the right to regulate the use of water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 9.28 cubic feet per second.

Actual construction work shall begin on or before September 24, 1977

Proof of commencement of work shall be filed before October 24, 1977

Work must be prosecuted with reasonable diligence and be completed on or before September 24, 1978

Proof of completion of work shall be filed before October 24, 1978

Application of water to beneficial use shall be made on or before

Proof of the application of water to beneficial use shall be filed on or before

Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed NOV 14 1977  
 Completion of work filed NOV 14 1977  
 Proof of beneficial use filed  
 Cultural map filed  
 Certificate No. Issued  
 Recorded Bk. Page  
 County Recorder

IN TESTIMONY WHEREOF, I ROLAND D. WESTERGARD, State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 24th day of March,

A.D. 19 77  
*Roland D. Westergard*  
State Engineer