



Permit No. 25821

CORRECTED PERMIT

THE STATE OF NEVADA

PERMIT TO APPROPRIATE WATER

Name of Permittee: MEL AND MARILYN LARSON
Source: UNDERGROUND
Basin: LAS VEGAS VALLEY
Manner of Use: COMMERCIAL
Period of Use: JANUARY 1ST THROUGH DECEMBER 31ST
Priority Date: 10/06/1970

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A meter must be installed in the discharge pipe line, near the point of diversion and accurate measurements must be kept of water placed to beneficial use. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030; therefore, the State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 0.021 cubic feet per second, but not to exceed 12.32 acre-feet annually.**

Proof of commencement of work shall be filed before:

November 11, 1972

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

November 11, 1973

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


November 11, 1975

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 12th day of August, 2013

 P.E.

State Engineer

Commencement of work filed November 27, 1972

Completion of work filed November 27, 1972

Proof of beneficial use filed March 10, 1978

Cultural map filed N/A

Certificate No. _____ Issued _____

See Application Permit

ASSIGNED
No. 25821

AMENDED

Serial

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office OCT 6 1970

Returned to applicant for correction NOV 23 1970

Corrected application filed NOV 30 1970

Map filed OCT 15 1970

The applicant Harold Lerz, 421 Yale Street and Rudy Wolf, 1972 Golden Arrow
of Las Vegas, County of _____,

State of Nevada, hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) parties are joint owners of land and will be joint owners of project

1. The source of the proposed appropriation is Underground
Name of stream, lake or other source. U 197005

2. The amount of water applied for is one second foot second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet _____ acre-feet

3. The water to be used for Commercial (restaurant, bar, cabins and riding stables)
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated) None

(b) Stockwater (state number and kinds of animals to be watered) 40 saddle horses

(c) Other use (describe fully under "No. 11. Remarks") _____

(d) Power: Electric

(1) Horsepower developed _____

(2) Point of return of water to stream _____

5. The water is to be diverted from its source at the following point: SW 1/4 SE 1/4 Sec. 17, T.23S.,

R.61E., M.D.B.&M., or at a point from which the S 1/4 corner of said

Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, Sec. 17 bears S. 27° 54' 01" E. a distance of 872.75 feet
it should be stated. (see letter of 12/7/70, RRD)

6. Place of use SW 1/4 SE 1/4 Sec. 17, T.23S., R.61E., M.D.B.&M.
Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about January 1st and end about December 31st, of each year.
Month Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) pump, pressure tank, plastic water lines

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

See Permit

- 9. Estimated cost of works \$10,000.00
- 10. Estimated time required to construct works 3 months
- 11. Estimated time required to complete the application to beneficial use 3 months
- 12. Remarks Owners plan to build a bar, horse stables and corrals for a riding stable.

Applicant Harold Lerz
Rudy Wolf
 s/ Harold Lerz
 s/ Rudy Wolf
 Compared jw/md ga/jw

By s/ Clifford A. Jones
302 E. Carson Street
Las Vegas, Nevada

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A meter must be installed in the discharge pipe line, near the point of diversion, and accurate measurements must be kept of water placed to beneficial use. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030; therefore, the State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.021 cubic feet per second, but not to exceed

40.15 m.g. annually

- Actual construction work shall begin on or before October 11, 1972
- Proof of commencement of work shall be filed before November 11, 1972
- Work must be prosecuted with reasonable diligence and be completed on or before October 11, 1973
- Proof of completion of work shall be filed before November 11, 1973
- Application of water to beneficial use shall be made on or before October 11, 1975
- Proof of the application of water to beneficial use shall be filed on or before November 11, 1975
- Map in support of proof of beneficial use shall be filed on or before _____

Commencement of work filed NOV 27 1972
 Completion of work filed NOV 27 1972
 Proof of beneficial use filed _____
 Cultural map filed _____
 Certificate No. _____ Issued _____
 Recorded _____ Bk. _____ Page _____
 _____ County Recorder

IN TESTIMONY WHEREOF, I ROLAND D. WESTERGARD,
 State Engineer of Nevada, have hereunto set my hand and the seal of
 my office, this 11th day of April,
 A.D. 19 72
Roland D. Westergard
 State Engineer