

THE STATE OF NEVADA

**APPLICATION TO CHANGE THE PUBLIC WATERS OF
THE STATE OF NEVADA HERETOFORE
APPROPRIATED**


Name of applicant: BLM
Source: SPRING
Basin: RUBY VALLEY
Manner of Use: STOCKWATERING
Period of Use: April 1st to October 31st
Priority Date: 05/22/1970

DENIAL OF STATE ENGINEER

This application is hereby denied on the grounds that its issuance would threaten to prove detrimental to the public interest and the Applicant does not meet the requirements of NRS § 533.503. No ruling is made on the merits of the protest.

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the
seal of my office, this 15th day of February, A.D. 2011



State Engineer

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office OCT 22 1971

Returned to applicant for correction _____

Corrected application filed _____ Map filed OCT 22 1971

The applicant United States of America, Bureau of Land Management of 2002 Idaho Street, Elko, County of _____ State of Nevada 89801, hereby makes application for permission to change the place of use of a portion of water heretofore appropriated under Proof No. 02677.

(Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

1. The source of water is South Spring (Name of stream, lake or other source.)
2. The amount of water to be changed 0.007 cfs (Second feet, acre feet.)
3. The water to be used for 500 - Cattle 50-Horses (If for stock state number and kind of animals.)
4. The water heretofore used for 500 - Cattle 50 - Horses (If for stock state number and kind of animals.)
5. The water is to be diverted at the following point from which the E. 1/4 Cor. Sec. 10, T.31 N., R. 59 E., bears S. 75°30' E. a distance of 2960 ft. (Describe as being within a 40-acre subdivision of public survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.) being within the SE 1/4 of NW 1/4 Sec. 10, T.31N., R.59 E.

6. The existing point of diversion is located within _____ (If point of diversion is not changed, do not answer.)

7. Proposed place of use is (1) the NW 1/4 of NW 1/4 Sec. 14, T. 31 N., R. 59 E., from which the E. 1/4 Cor. Sec. 10 bears N. 0° 21' W. a distance of 3267 ft. (Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.) (2) the SW 1/4 of NW 1/4 Sec. 13, T. 31 N., R. 59 E. from which the E. 1/4 Cor. Sec. 10, T. 31 N., R. 59 E., bears N. 48° 42' W. 7137 ft.

8. Existing place of use being within the SE 1/4 of NW 1/4 Sec. 10, T. 31 N., R. 59 E. from which the E. 1/4 Cor. Sec. 10, T. 31 N., R. 59 E. bears S. 75° 30' E. a distance of 2960 ft. (Describe by legal subdivisions. If presently used for irrigation, state number of acres irrigated.)

9. Use will be from April 1 to October 31 of each year. (Month) (Month)

10. Use has been from April 1 to October 31 of each year. (Month) (Month)

11. Description of proposed works.

Water diverted at source by spring box through 11,000 feet 1-1/4 inch pipe to 2 stock trough 1,000 gallon capacity. Stock Trough

(Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.)
(State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.)

equipped with float valve.

12. Estimated cost of works..... \$3,000

13. Estimated time required to construct works..... 30 days

14. Remarks.....

Compared.....jn/bjg.....
Pro. filed 2-28-72 by M. L. Tate

United States of America
Applicant Bureau of Land Management

By s/J. Kent Giles
2002 Idaho Street
Elko, Nevada 89801

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed.....cubic feet per second.....

Actual construction work shall begin on or before.....

Proof of commencement of work shall be filed before.....

Work must be prosecuted with reasonable diligence and be completed on or before.....

Proof of completion of work shall be filed before.....

Application of water to beneficial use shall be made on or before.....

Proof of the application of water to beneficial use shall be filed on or before.....

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed.....
Completion of work filed.....
Proof of beneficial use filed.....
Cultural map filed.....
Certificate No.....Issued.....
Recorded.....Bk.....Page.....

IN TESTIMONY WHEREOF, I.....
State Engineer of Nevada, have hereunto set my hand and the seal of
my office, this.....day of.....

A.D. 19.....

State Engineer