

AMENDED APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office... Jan. 14, 1972
Returned to applicant for correction... Feb. 29, 1972
Corrected application filed... Mar. 2, 1972
Map filed... Nov. 14, 1971 under 24069

The applicant... Trans-Sierra Water Service, Inc.
of 16000 Geiger Grade Rd., County of Reno
State of Nevada 89502, hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) Nevada, September 1, 1970.

1. The source of the proposed appropriation is... underground
Name of stream, lake or other source.

2. The amount of water applied for is... 1.0 second-foot
One second-foot equals 448.83 gals. per min.
(a) If stored in reservoir give number of acre-feet... acre-feet

3. The water to be used for... Quasi-Municipal and Domestic
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:
(a) Irrigation (state number of acres to be irrigated)
(b) Stockwater (state number and kinds of animals to be watered)
(c) Other use (describe fully under "No. 12. Remarks")
(d) Power:
(1) Horsepower developed
(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: SW 1/4 NW 1/4 Sec. 27, T. 18N., R. 20E., M.D.B. & M. or at a point from which the W 1/2 corner of said Sec. 27 bears S. 0° 57' 46" W. 1,017.71 feet.
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be stated.

6. Place of use... NW 1/4, N 1/2 SW 1/4, E 1/2 Section 27; all of Section 34, T. 18N., R. 20 E., M.D.B. & M.
Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about... Jan. 1st and end about Dec. 31st, of each year.
Month Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 12" well, 110 feet deep; 60 hp turbine pump; 8 in. main 240,000 gallon storage tank distribution system
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

- 9. Estimated cost of works.....\$200,000.....
- 10. Estimated time required to construct works... now Complete.....
- 11. Estimated time required to complete the application to beneficial use..... 5 years.....
- 12. Remarks Use map under 24069 to support this application. This application is for an additional 175 single-family units not covered under permit 18440 and 23798 total number of units under this and other rights is 475 well produce 475 gallon/min.

Applicant...Trans-Sierra Water Service, Inc.

By s/ Roger Roussille, Pres.
16000 Geiger Grade Road
Reno, Nevada 89502

Compared big:ga ga/jw.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to all existing rights on the source. It is understood that the amount of water herein granted is only a temporary allowance and that the final water rights obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to other ground water development in the area. A substantial weir or other type of measuring device must be installed and measurements of water use kept. The well shall be equipped with a 2-inch opening for measuring depth to water. If well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 1.0 cubic feet per second, but not to exceed 63.875 m.g. annually and not to exceed 1,000 gallons per residence per day from any and/or all sources.

- Actual construction work shall begin on or before..... February 1, 1973
- Proof of commencement of work shall be filed before..... March 1, 1973
- Work must be prosecuted with reasonable diligence and be completed on or before..... February 1, 1974
- Proof of completion of work shall be filed before..... March 1, 1974
- Application of water to beneficial use shall be made on or before..... February 1, 1977
- Proof of the application of water to beneficial use shall be filed on or before..... March 1, 1977
- Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed... MAR 14 1973
Completion of work filed... MAR 14 1973
Proof of beneficial use filed.....
Cultural map filed.....
Certificate No..... Issued.....
Recorded..... Bk..... Page.....
.....County Recorder

IN TESTIMONY WHEREOF, I, ROLAND D. WESTERGARD, State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 1st day of August, A.D. 1972.

Roland D. Westergard
State Engineer