

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... JUL 5 1972

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... JUL 5 1972

The applicant White Pine County
of P. O. Box 659, County of Ely, Nevada,
State of 89301, hereby make S application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground
Name of stream, lake or other source.

2. The amount of water applied for is 2.0 second-feet
One second-foot equals 448.83 gals. per min.

(a) ~~If stored in reservoir give number of acre-feet~~ Three ponds hold an aggregate acre-feet
~~of 7.5 Acre-feet.~~

3. The water to be used for Recreation and Domestic
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated) 12 acres total area; about 50% of
which is grass, trees and shrubs.

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: In the SW¼ NW¼ Section 14,
T 16N., R 63E., M. D. B. & M. or at a point from which the Northwest
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
Corner of said Section 14 bears N 3°32' 07" W., 1927.86 feet distant.
it should be stated.

6. Place of use Steptoe Park in the Park Addition to the Ely City Townsite
Describe by legal subdivision, if on unsurveyed land it should be so stated.
located in the SW¼ NW¼ Section 14 and the SE¼ NE¼ Section 15, T 16 N.,
R 63E., M. D. B. & M.

7. Use will begin about January 1st and end about December 31st, of each year.
Month Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Proposed to drill, case, develop
and equip a 16" well approximately 400 feet deep.

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

- 9. Estimated cost of works... \$20,000.00
- 10. Estimated time required to construct works... Two (2) years.
- 11. Estimated time required to complete the application to beneficial use... Three (3) to four (4) years.
- 12. Remarks... Water will be used to irrigate Steptoe Park (Total of approximately 12 acres) and maintain water level in three ponds for recreational use. The northeast area pond holds about 200,000 gallons while the center pond holds about 120,000 gallons of water.

Applicant... White Pine County, Nevada

By s/Eli Evasovic
 ELI EVASOVIC
 White Pine County Clerk
 P. O. Box 659 - Ely, Nevada 89301

Compared cd/ga ga/jw
 Pro. filed 8-30-72 by Ely Municipal
 Water Dept. (Nick Orphan)
 Overruled 5/10/73

APPROVAL OF STATE ENGINEER

Ruling # 1904

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the

following limitations and conditions: This permit is issued subject to all existing rights on the source. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to other groundwater development in the area. A measuring device must be installed and measurements of water use kept. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water granted herein at any and all times.


A totalizing meter must be installed and maintained in the discharge pipe line near the point of diversion and accurate measurements must be kept of water placed to beneficial use.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 2.0 cubic feet per second, but not to exceed 41.37 million gallons annually.

- Actual construction work shall begin on or before... December 11, 1973
- Proof of commencement of work shall be filed before... January 11, 1974
- Work must be prosecuted with reasonable diligence and be completed on or before... December 11, 1974
- Proof of completion of work shall be filed before... January 11, 1975
- Application of water to beneficial use shall be made on or before... December 11, 1976
- Proof of the application of water to beneficial use shall be filed on or before... January 11, 1977
- Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed... MAR 25 1974
 Completion of work filed... JAN 28 1975
 Proof of beneficial use filed... AUG 14 1978
 Cultural map filed.....
 Certificate No. 9478 Issued 11-14-80
 Recorded... Bk... Page...
 County Recorder

IN TESTIMONY WHEREOF, I, ROLAND D. WESTERGARD, State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 11th day of June

A.D. 19 73

 State Engineer