

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

MAR 9 1973

Date of filing in State Engineer's Office.....

Returned to applicant for correction.....

Corrected application filed.....

MAR 9 1973

Map filed.....

The applicant Carson City

of 1711 N. Roop Street Carson City, County of

State of Nevada 89701, hereby make application for permission to appropriate the public

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-

tion; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground
Name of stream, lake or other source.

2. The amount of water applied for is three (3) second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet - acre-feet

3. The water to be used for Municipal Water Supply
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated)

(b) Stockwater (state number and kinds of animals to be watered)

(c) Other use (describe fully under "No. 12. Remarks") Municipal Water System

(d) Power:

(1) Horsepower developed None

(2) Point of return of water to stream None

5. The water is to be diverted from its source at the following point: within NW 1/4 of NW 1/4 of

Section 32, T15N, R20E, M.D.B.&M. from which the center 1/4 corner

Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,

of said Section 32 bears S 44°34'12" E 2449.75 feet.

it should be stated.

6. Place of use are sections 2, 3, 4, 5, 6, 7, 8, 9, 10, N 1/2 11, 15, 16, 17,
Describe by legal subdivision, if on unsurveyed land it should be so stated.

18, E 1/2 19, 20, 21, W 1/2 28, 29, E 1/2 30, E 1/2 31, 32, W 1/2 33 in T15N,

R20E, M.D.B.&M.

Sections E 1/2 1 and 12 in T15N, R19E, M.D.B.&M.

Sections S 1/2 31, S 1/2 32, 33 and W 1/2 34, T16N, R20E, M.D.B.&M.

7. Use will begin about January 1st and end about December 31st, of each year.
Month Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans

and specifications of your diversion or storage works.) Drilled well, pump and

connection piped to municipal water system

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

- 9. Estimated cost of works.....\$100,000
- 10. Estimated time required to construct works..... 6 months
- 11. Estimated time required to complete the application to beneficial use..... 6 months
- 12. Remarks.....

Applicant Carson City

By s/Paul Lumos
Paul Lumos, Public Works Director
1711 N. Roop Street
Carson City, Nevada 89701

Compared cm:ga ga/lk

APPROVAL OF STATE ENGINEER


This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 3.0 cubic feet per second

- Actual construction work shall begin on or before..... November 17, 1973
- Proof of commencement of work shall be filed before..... December 17, 1973
- Work must be prosecuted with reasonable diligence and be completed on or before..... November 17, 1974
- Proof of completion of work shall be filed before..... December 17, 1974
- Application of water to beneficial use shall be made on or before..... November 17, 1977
- Proof of the application of water to beneficial use shall be filed on or before..... December 17, 1977
- Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed..... JAN 9 1974
 Completion of work filed..... DEC 12 1974
 Proof of beneficial use filed..... DEC 30 1981
 Cultural map filed.....
 Certificate No. 9872 Issued..... MAR 11 1982
 Recorded..... Bk. 33 Page.....
 County Recorder

IN TESTIMONY WHEREOF, I ROLAND D. WESTERGARD,
 State Engineer of Nevada, have hereunto set my hand and the seal of
 my office, this 18 th day of May,

A.D. 19 73

 State Engineer