

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office June 7, 1973

Returned to applicant for correction

Corrected application filed

Map filed June 7, 1973

The applicant Russell Sturgeon
of P.O.Box 163 Pahrump, County of

State of Nevada 89041, hereby make s application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is an underground source
Name of stream, lake or other source.

2. The amount of water applied for is 0.01 second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet acre-feet

3. The water to be used for commercial and domestic purposes
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated)

(b) Stockwater (state number and kinds of animals to be watered)

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: within the SE1/4 SE1/4 of Section 15, T.20S., R.53E., M.D.B.&M. or at a point from which the SE corner of Section 15 bears South 20°00'00" East a distance of 835 feet.
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be stated.

6. Place of use portion of the SE1/4 SE1/4 of Section 15, T.20S., R.53E.,
Describe by legal subdivision, if on unsurveyed land it should be so stated.
M.D.B.& M. being Lot 5 of Block 5 of Bollings Green Acres Subdivision as shown in Book C of Plats, Page 417 of the Nye County Recorder's Official Records.

7. Use will begin about January 1st and end about December 31st, of each year.
Month Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) well, submersible pump and water line to a Day Care Center Building
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works..... \$2,000.00.....
 10. Estimated time required to construct works..... Two years.....
 11. Estimated time required to complete the application to beneficial use..... Three years.....
 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.
 The existing domestic well will be changed to a Commercial Well
 to supply water to a child day care center for approximately 25
 children, landscaping and office (2 buildings). Water to be
 allocated approximately 0.01 cfs.

Applicant Russell Sturgeon.....
 s/Richard J. Baughman
 By Richard J. Baughman, Agent.....
 2325 W. Charleston Blvd.
 Compared dmc/ga..... lk/cm..... Las Vegas, Nevada 89102

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipe line near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.01 cubic feet per second, but not to exceed 1,800 gallons per day.

Actual construction work shall begin on or before..... January 7, 1974
 Proof of commencement of work shall be filed before..... February 7, 1974
 Work must be prosecuted with reasonable diligence and be completed on or before..... January 7, 1974
 Proof of completion of work shall be filed before..... February 7, 1974
 Application of water to beneficial use shall be made on or before..... January 7, 1975
 Proof of the application of water to beneficial use shall be filed on or before..... February 7, 1975
 Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed..... FEB 19 1974
 Completion of work filed..... FEB 19 1974
 Proof of beneficial use filed.....
 Cultural map filed..... MAR 11 1977

IN TESTIMONY WHEREOF, I ROLAND D. WESTERGARD, State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 7th day of November.

Certificate No. Issued..... BECAUSE OF FAILURE TO COMPLY WITH THE PROVISIONS OF PERMIT 19 73
 CANCELLED OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT
 County Recorder STATE ENGINEER

State Engineer