

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office FEB 7 1974

Returned to applicant for correction.....

Corrected application filed.....

Map filed September 28, 1971 under 26180

The applicant Julius Bunkowski
of P. O. Box 718 Carson City, County of.....

State of Nevada 89701, hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Un-named Spring No. 1
Name of stream, lake or other source.

2. The amount of water applied for is 0.25 second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet..... acre-feet

3. The water to be used for Quasi-Municipal (Subdivision) & domestic
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated).....

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: NE¼ NE¼ Sec. 12, T. 16N.,

R. 20E., M.D.B. & M., at a point from which the northeast corner

Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,

of said section 12 bears N. 73° 12' E., 827.4 feet.

It should be stated.

6. Place of use Sec. 19, 20, 29, 30, T. 16 N., R. 21 E., M.D.B. & M., and

Describe by legal subdivision, if on unsurveyed land it should be so stated.

Sec. 24 and 25, T. 16 N., R. 20 E., M.D.B. & M.

7. Use will begin about January 1st and end about December 31st, of each year.
Month Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Collection box, pipe, distribution system.

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works \$500.00
10. Estimated time required to construct works 2 years
11. Estimated time required to complete the application to beneficial use 2 years
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

2000 parcels

Refiling and uses map under Application No. 26180

Applicant Julius Bunkowski

By s/ Julius Bunkowski
P. O. Box 718
Carson City, Nevada 89701

Compared bs/jw lk/cm

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipe line near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The total combined duty of water under this permit and Permits 28080, 28081, 28082, 28083, 28084 shall not exceed 353.70 million gallons per annum.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.25 cubic feet per second, but not to exceed 58.95 million gallons annually.

- Actual construction work shall begin on or before January 8, 1975
- Proof of commencement of work shall be filed before February 8, 1975
- Work must be prosecuted with reasonable diligence and be completed on or before January 8, 1976
- Proof of completion of work shall be filed before February 8, 1976
- Application of water to beneficial use shall be made on or before January 8, 1978
- Proof of the application of water to beneficial use shall be filed on or before February 8, 1978
- Map in support of proof of beneficial use shall be filed on or before February 8, 1978

Commencement of work filed IN TESTIMONY WHEREOF, I, ROLAND D. WESTERGARD,
Completion of work filed State Engineer of Nevada, have hereunto set my hand and the seal of
Proof of beneficial use filed my office, this 8th day of July

Certificate No. 12 1978 Issued BECAUSE OF FAILURE A.D. 19 74
OF RECORDED TO COMPLY WITH BKHE REVISED PAGE'S OF PERMIT
Roland D. Westergard County Recorder
218 (Rev.) STATE ENGINEER

Roland D. Westergard
State Engineer