

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office MAR 4 1974

Returned to applicant for correction

Corrected application filed

Map filed MAY 4 1972 under 26700

The applicant Kyle Slope Water User's Association

Street and No. or P.O. Box No. of Las Vegas City or Town

Nevada State and Zip Code No. hereby make application for permission to appropriate the public

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) Worth Howard, Robert E. Howard, Bonnie Howard, Tommy W. Howard, Diane Howard, Loyd R. Ramstad, Edith V. Ramstad, Darwin Lamb, Mary Lamb

1. The source of the proposed appropriation is Underground Las Vegas Artesian Basin Name of stream, lake or other source.

2. The amount of water applied for is .0155 second-feet One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet acre-feet

3. The water to be used for Quasi-Municipal Domestic Use Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for: (a) Irrigation (state number of acres to be irrigated)

(b) Stockwater (state number and kinds of animals to be watered)

(c) Other use (describe fully under "No. 12. Remarks") See No. 11

(d) Power: (1) Horsepower developed (2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: NW 1/4 / SW 1/4 Section 1, Township 19 S., Range 59 E., M.D.B.&M. N 10° 57' 48" E a distance of 1335.63 feet to the NE corner of the NW 1/4 / SW 1/4 Section 1, Township 19S., Range 59E. Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be stated.

6. Place of use NW 1/4 / SE 1/4 / SW 1/4 Section 6, Township 19 S., Range 60E., M.D.M. Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about January 1 and end about December 31, of each year. Day and Month Day and Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Well, 8 5/8" casing; cased to TD 625', 2" line from well into adjacent five acres and 2" line extending approximately 5400' SE to the above described five acre parcel in Section 6, T 19S., R 60E., M.D.M. State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

- 9. Estimated cost of works Well and appurtenances \$8000.00; Water line to Sec. 6 about \$1500.00
- 10. Estimated time required to construct works 1 year, well completed June 20, 1971
- 11. Estimated time required to complete the application to beneficial use.....
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Construction to begin upon approval by Division of Water Resources. Water to be used to supply property owners listed as participants in the Association fo domestic use. Well originally drilled for Worth Howard for domestic use. Construction of pipe line and distribution facilities to be completed by Mr. Loyd R. Ramstad who appears as a participant in the Association.

Applicant Kyle Slope Water User's Association

By s/ Ben G. Sweet Jr.  
Ben G. Sweet Jr. (Agent)  
2 W. Pacific Ave.  
Henderson, Nevada 89015

Compared lk/jw lk/jw

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed in the discharge pipe line, near the point of diversion, and accurate measurements must be kept of water placed to beneficial use. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0155 cubic feet per second, but not to exceed a total combined diversion of 1.825 million gallons annually with Permit 26700.

Actual construction work shall begin on or before September 16, 1974  
 Proof of commencement of work shall be filed before October 16, 1974  
 Work must be prosecuted with reasonable diligence and be completed on or before September 16, 1974  
 Proof of completion of work shall be filed before October 16, 1974  
 Application of water to beneficial use shall be made on or before September 16, 1976  
 Proof of the application of water to beneficial use shall be filed on or before October 16, 1976  
 Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed NOV 8 1974  
 Completion of work filed NOV 8 1974  
 Proof of beneficial use filed.....  
 Cultural map filed.....  
 Certificate No..... Issued.....  
 Recorded..... Bk..... Page.....

IN TESTIMONY WHEREOF, I ROLAND D. WESTERGARD,  
 State Engineer of Nevada, have hereunto set my hand and the seal of  
 my office, this 16th day of July

A.D. 19 74



CANCELLED 2/28/78 County Recorder BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

State Engineer

