

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

SEP 6 1974

Date of filing in State Engineer's Office

Returned to applicant for correction

Corrected application filed Map filed SEP 6 1974 under 28647

The applicant Umeo and Francis T. Taki

Rt. 1 of American Falls, Idaho 83211, hereby make application for permission to change the place of use and point of diversion of a portion of water heretofore appropriated under application #26141

Street and No. or P.O. Box No. City or Town State and Zip Code No.

(Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

- 1. The source of water is underground
2. The amount of water to be changed 3.70 cfs (a portion of)
3. The water to be used for irrigation
4. The water heretofore used for irrigation
5. The water is to be diverted at the following point NE 1/4 SW 1/4 Sec. 21, T.38N., R.39E., M.D.B.M.
6. The existing point of diversion is located within NW 1/4 NE 1/4 Sec. 22, T.38N., R.39E., M.D.B.M.
7. Proposed place of use NW 1/4 Sec. 22, W 1/2 Sec. 21, and all of Sec. 28, all in T.38N., R.39E., M.D.B.M. 848.4 ac.
8. Existing place of use NW 1/4; W 1/2 SW 1/4; NW 1/4 NE 1/4, Sec. 22, T.38N., R.39E., M.D.B.M. 280 ac.
9. Use will be from 1 January to 31 December of each year.
10. Use has been from 1 January to 31 December of each year.
11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) drilled well, turbine pump and electric motor and sprinkler system.

12. Estimated cost of works \$30,000.00
13. Estimated time required to construct works 3 years
14. Estimated time required to complete the application of water to beneficial use 5 years
15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

this is one of several simultaneous applications being submitted to comingle all waters for more efficient irrigation practice

Compared cm:lk s/C. H. Ketcham Agent
 Pro. 12/3/74 by Norman D. & Mary E. Kelley Applicant Umeo and Francis T. Taki
 By C. H. "Pete" Ketcham Registered Land Surveyor
 P. O. Box 461 - Winnemucca, Nevada
 OF STATE ENGINEER Phone: 623-3152 89445

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed.....cubic feet per second.....

Actual construction work shall begin on or before.....

Proof of commencement of work shall be filed before.....

Work must be prosecuted with reasonable diligence and be completed on or before.....

Proof of completion of work shall be filed before.....

Application of water to beneficial use shall be made on or before.....

Proof of the application of water to beneficial use shall be filed on or before.....

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed..... IN TESTIMONY WHEREOF, I.....
 Completion of work filed..... State Engineer of Nevada, have hereunto set my hand and the seal of
 Proof of beneficial use filed..... my office, this.....day of.....
 Cultural map filed.....
 Certificate No..... Issued..... A.D. 19.....
 Recorded..... Bk..... Page..... WITHDRAWN BY APPLICANT..... DEC 23 1974
 State Engineer

Roland P. Westgard
 STATE ENGINEER