

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office SEP 9 1974

Returned to applicant for correction

Corrected application filed

Map filed SEP 9 1974

The applicant Board of Regents, University of Nevada

Street and No. or P.O. Box No. Reno, Nevada City or Town

State and Zip Code No. hereby make application for permission to appropriate the public

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is underground Name of stream, lake or other source.

2. The amount of water applied for is 0.05 second-feet One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet none acre-feet

3. The water to be used for domestic and fish and wildlife research purposes. Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated) none

(b) Stockwater (state number and kinds of animals to be watered) none

(c) Other use (describe fully under "No. 12. Remarks") noted

(d) Power:

(1) Horsepower developed none

(2) Point of return of water to stream none

5. The water is to be diverted from its source at the following point: SW 1/4 NW 1/4 Section 16, T.19N.,

R.20E., M.D.B.&M., at a point from which the west 1/4 corner of

Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,

section 21, T.19N., R.20E., M.D.B.&M. bears S 7° 31' 59" W. 5802.29 feet

it should be stated.

6. Place of use SW 1/4 NW 1/4 Section 16 T.19N., R.20E., M.D.B.&M. more particularly

Describe by legal subdivision, if on unsurveyed land it should be so stated.

described as the Veterinary Medical Center, 5305 East Mill St., Reno, Nevada

7. Use will begin about 1 January and end about 31 December, of each year. Day and Month Day and Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) One 8 inch diameter cased well with

1/2 H.P. submersable pump, 40 feet of 2 inch diameter plastic

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

pressure pipe and 250 gallon hydrodynamic storage tank.

- 9. Estimated cost of works..... \$4,500
- 10. Estimated time required to construct works..... 3 months
- 11. Estimated time required to complete the application to beneficial use..... 6 months
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Estimated annual consumptive use 6,308,000 gallons

Board of Regents
Applicant University of Nevada

By s/Edward L. Pine
330 Chevy Chase
Reno, Nevada 89502

Compared cm: lk bs/lk

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to all existing rights on the source. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to other ground water development in the area. A measuring device must be installed and measurements of water use kept. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water granted herein at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.05 cubic feet per second, but not to exceed 6.308 million gallons annually.

- Actual construction work shall begin on or before July 6, 1975
- Proof of commencement of work shall be filed before August 6, 1975
- Work must be prosecuted with reasonable diligence and be completed on or before July 6, 1976
- Proof of completion of work shall be filed before August 6, 1976
- Application of water to beneficial use shall be made on or before July 6, 1979
- Proof of the application of water to beneficial use shall be filed on or before August 6, 1979
- Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed AUG 5 1975
Completion of work filed AUG 11 1976
Proof of beneficial use filed AUG 20 1979
Cultural map filed
Certificate No. 9648 Issued NOV 20 1981
Recorded Bk Page
County Recorder

IN TESTIMONY WHEREOF, I ROLAND D. WESTERGARD
State Engineer of Nevada, have hereunto set my hand and the seal of
my office, this 6th day of January

A.D. 19 75

Roland D. Westergard
State Engineer