

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office MAR 25 1975

Returned to applicant for correction

Corrected application filed

Map filed APR 23 1975

The applicant Sister Margaret P. McCarran and Norine I. McCarran McCarran Ranch of Sparks, Nevada 89431

hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

1. The source of the proposed appropriation is underground

2. The amount of water applied for is 0.134 second-feet

(a) If stored in reservoir give number of acre-feet acre-feet

3. The water to be used for Domestic - Sand & gravel watering

4. If use is for:

(a) Irrigation (state number of acres to be irrigated)

(b) Stockwater (state number and kinds of animals to be watered)

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: NW 1/4 NW 1/4 Section 6, Township 19 North, Range 22 East, M.D.B. & M. South 04°23' West 2618 feet to the West 1/4 corner of Section 6, Township 19 North, Range 22 East

6. Place of use NE 1/4 NE 1/4 Section 1, Township 19 North, Range 21 East, M.D.B. & M., SE 1/4 SE 1/4 Section 36 Township 20 North, Range 21 East, M.D.B. & M., N 1/2 NW 1/4 Section 6, Township 19 North, Range 22 East, M.D.B. & M., S 1/2 SW 1/4 Section 31, Township 20 North, Range 22 East, M.D.B. & M., NE 1/4 SW 1/4 Section 31, Township 20 North, Range 22 East, M.D.B. & M., SW 1/4 SE 1/4 Section 31, Township 20 North, Range 22 East, M.D.B. & M., N 1/2 SE 1/4 Section 31, Township 20 North, Range 22 East, M.D.B. & M., S 1/2 NE 1/4 Section 31, Township 20 North, Range 22 East, M.D.B. & M., SW 1/4 NW 1/4 Section 32, T.20N., R.22E., M.D.B. & M. Township 20 North

7. Use will begin about 1 January and end about 31 December of each year. Range 22E. M.D.B. & M.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 2 ea. - 2 HP Submersible pumps - 315 gallon pressurized tank-

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works..... \$4000
10. Estimated time required to construct works..... presently constructed.
11. Estimated time required to complete the application to beneficial use..... 1 year
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Applicant Sister Margaret P. McCarran

By s/ Sister Margaret P. McCarran
McCarran Ranch
Sparks, Nevada 89431

Compared bs/ga bs/lk

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to all existing rights on the source. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to other ground water development in the area. A measuring device must be installed and measurements of water use kept. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water granted herein at any and all times. No perforations shall be put in the casing until after the well is completed and the log available for study. Perforations shall not start less than 100 feet from the surface unless the log shows a satisfactory confining formation nearer the surface.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.134 cubic feet per second, but not to exceed 31.6 million gallons annually.

Actual construction work shall begin on or before October 20, 1975

Proof of commencement of work shall be filed before November 20, 1975

Work must be prosecuted with reasonable diligence and be completed on or before October 20, 1975

Proof of completion of work shall be filed before November 20, 1975

Application of water to beneficial use shall be made on or before October 20, 1976

Proof of the application of water to beneficial use shall be filed on or before November 20, 1976

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed DEC 9 1975
 Completion of work filed MAR 9 1977
 Proof of beneficial use filed MAR 9 1977
 Cultural map filed.....
 Certificate No. 9092 Issued 10-5-77
 Recorded..... Bk..... Page.....

IN TESTIMONY WHEREOF, I, ROLAND D. WESTERGARD,
 State Engineer of Nevada, have hereunto set my hand and the seal of
 my office, this 20th day of August

A.D. 19 75

Roland D. Westergard
 State Engineer