

APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office MAY 21 1975

Returned to applicant for correction.....

Corrected application filed.....

Map filed MAY 30 1975

The applicant Roy C. Jones

76 Tiger Dr., of Carson City,  
Street and No. or P.O. Box No. City or Town

Nevada 89701, hereby make.... application for permission to appropriate the public  
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.).....

1. The source of the proposed appropriation is Underground Source  
Name of stream, lake or other source.

2. The amount of water applied for is 0.25 second-feet  
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....acre-feet

3. The water to be used for Commercial and Domestic  
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated).....

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 12. Remarks") Commercial

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: Within the NW¼ of the  
NW¼ of Section 29 T15N R20E MDB&M at a point from which the NW  
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,  
corner of Section 29 bears N 28 18'25" W., 1367.92 ft.  
it should be stated.

6. Place of use. A 2.37 Acre parcel within the NW¼ of the NW¼ of  
Describe by legal subdivision, if on unsurveyed land it should be so stated.  
Section 29 T15 N R20E MDB&M

7. Use will begin about 1 January and end about 31 December, of each year.  
Day and Month Day and Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 8" well with 2 HP submersible pump, pressure tank and electrical controls.  
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

- 9. Estimated cost of works..... \$2,000.00
- 10. Estimated time required to construct works..... 90 days
- 11. Estimated time required to complete the application to beneficial use..... 3 years Commercial development of the land area will not be completed in less time.
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Municipal water from Carson City is not available to this land because the nearest water main is 800 ft. away.

Applicant..... Roy C. Jones

By..... s/ H. D. Jones  
H. D. Jones  
76 Tiger Dr.  
Carson City, Nevada 89701

Compared..... bs/lk                      lk/ga

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.05 cubic feet per second but not to exceed 1,000 gallons per day.

Actual construction work shall begin on or before..... November 13, 1976

Proof of commencement of work shall be filed before..... December 13, 1976

Work must be prosecuted with reasonable diligence and be completed on or before..... November 13, 1977

Proof of completion of work shall be filed before..... December 13, 1977

Application of water to beneficial use shall be made on or before..... November 13, 1978

Proof of the application of water to beneficial use shall be filed on or before..... December 13, 1978

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed..... DEC 17 1976

Completion of work filed..... DEC 17 1976

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No..... Issued..... A.D. 19 76

IN TESTIMONY WHEREOF, I, ROLAND D. WESTERGARD, State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 13th day of May

Recorded..... Bk..... Page..... MAR 9 1981

County Recorder.....

OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

*[Signature]*  
State Engineer

*[Signature]*  
STATE ENGINEER